

Site	Site Desc	Site Type	Site Category	Date	Alkalinity (CaCO3)_Total mg/L	Aluminium_Dissolved_Water mg/L	Aluminium_Total_Water mg/L	Arsenic_Dissolved_Water mg/L	Arsenic_Total_Water mg/L	Bicarbonate as CaCO3 mg/L	Boron_Dissolved_Water mg/L	Boron_Total_Water mg/L	Cadmium_Dissolved_Water mg/L	Cadmium_Total_Water mg/L	Calcium mg/L	Carbonate Alkalinity as CO3 mg/L	Chloride mg/L	Chromium_Dissolved_Water mg/L	Chromium_Total_Water mg/L	Cobalt_Dissolved_Water mg/L	Cobalt_Total_Water mg/L	Copper_Dissolved_Water mg/L	Copper_Total_Water mg/L	Electrical Conductivity (Lab) uS/cm	Hydroxide as CaCO3 mg/L	Iron_Dissolved_Water mg/L	Iron_Total_Water mg/L	Lead_Dissolved_Water mg/L	Lead_Total_Water mg/L	Magnesium mg/L	Manganese_Dissolved_Water mg/L
300-MB04	300 series bore compliance AWL	Bore - Basal Sand East	GROUNDWATER - BASAL SAND	4-Feb-2019 11:49	580	<0.01	4.96	<0.001	0	580			<0.001	<0.001	39	<1	855	<0.001	0.02			0	0.07	3680	<1	<0.05	8.09	<0.001	0.02	54	
300-MB11	300 Series Monitoring Borehole compliance AWL	Bore - Basal Sand East	GROUNDWATER - BASAL SAND	4-Feb-2019 10:50	380	<0.01	0.03	<0.001	<0.001	380			<0.001	<0.001	32	<1	115	<0.001	<0.001			0	0.01	1000	<1	<0.05	0.1	<0.001	<0.001	43	
300-MB36	Basal Sand - Basal Sand East compliance AWL	Bore - Basal Sand East	GROUNDWATER - BASAL SAND	4-Feb-2019 07:53	383	<0.01	0.04	<0.001	0	362			<0.001	<0.001	41	21	130	<0.001	<0.001			0.01	0.01	1030	<1	<0.05	5.56	<0.001	<0.001	51	
3028D	3028D AWL	Bore - Permian sandstone	GROUNDWATER - PERMIAN	4-Feb-2019 14:42	405	<0.01	0.11	0	0	374			<0.001	<0.001	11	32	398	<0.001	<0.001			0	0.01	1820	<1	<0.05	1.08	<0.001	0	20	
62641	Monitoring bore located North of Gordon Downs Homestead licence AWL	Bore - Tertiary Basalt	GROUNDWATER - BASALT	6-Feb-2019 11:51	748	<0.01	0.02	<0.001	<0.001	694			<0.001	<0.001	29	54	84	<0.001	<0.001			0	0.01	1520	<1	<0.05	2.44	<0.001	<0.001	65	
CD01	Co-Disposal Series lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	5-Feb-2019 12:50	782	<0.01	0.02	<0.001	<0.001	782	0.24	0.28	<0.001	<0.001	333	<1	1070	<0.001	<0.001	<0.001	<0.001	0	0.01	7900	<1	0.45	0.53	<0.001	<0.001	235	0.41
CD03	Co-Disposal Series lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	5-Feb-2019 11:56	593	<0.01	0.02	<0.001	<0.001	593	0.2	0.23	<0.001	<0.001	381	<1	696	<0.001	<0.001	<0.001	<0.001	0	0.01	5610	<1	1.78	2.09	<0.001	<0.001	477	0.15
CD05	Co-Disposal Series - Basalt East lic AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	6-Feb-2019 07:07	514	<0.01	0.02	0	0	505	0.18	0.21	<0.001	<0.001	51	9	182	<0.001	<0.001	0	0	0	0.01	1400	<1	<0.05	<0.05	<0.001	<0.001	66	0.04
CD06	Co-Disposal Series lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	6-Feb-2019 15:45	481	<0.01	0.01	0	<0.001	481	0.18	0.22	<0.001	<0.001	558	<1	764	<0.001	<0.001	<0.001	<0.001	<0.001	0	6850	<1	2.29	2.65	<0.001	<0.001	369	0.24
KS1F	Test production bore AWL	Bore - Tertiary Basal Sand	GROUNDWATER - BASAL SAND	4-Feb-2019 09:24	372	<0.01	0.06	<0.001	<0.001	372			0	0	208	<1	488	0.01	0.01			0.01	0.01	2190	<1	<0.05	<0.05	<0.001	0	28	

Site	Site Desc	Site Type	Site Category	Date	Alkalinity (CaCO3)_Total mg/L	Aluminium_Dissolved_Water mg/L	Aluminium_Total_Water mg/L	Arsenic_Dissolved_Water mg/L	Arsenic_Total_Water mg/L	Bicarbonate as CaCO3 mg/L	Boron_Dissolved_Water mg/L	Boron_Total_Water mg/L	Cadmium_Dissolved_Water mg/L	Cadmium_Total_Water mg/L	Calcium mg/L	Carbonate Alkalinity as CO3 mg/L	Chloride mg/L	Chromium_Dissolved_Water mg/L	Chromium_Total_Water mg/L	Cobalt_Dissolved_Water mg/L	Cobalt_Total_Water mg/L	Copper_Dissolved_Water mg/L	Copper_Total_Water mg/L	Electrical Conductivity (Lab) uS/cm	Hydroxide as CaCO3 mg/L	Iron_Dissolved_Water mg/L	Iron_Total_Water mg/L	Lead_Dissolved_Water mg/L	Lead_Total_Water mg/L	Magnesium mg/L	Manganese_Dissolved_Water mg/L
NB1	Monitoring bore - east of Kestrel rejects dam - Basalt East codisposal AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	5-Feb-2019 07:01	492	<0.01	0.19	0	0	454	0.06	0.07	<0.001	<0.001	49	38	152	<0.001	<0.001	<0.001	<0.001	0.01	0.01	1310	<1	<0.05	0.34	<0.001	0	86	0.01
NB2	Monitoring bore - south of Kestrel rejects dam lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	5-Feb-2019 15:00	565	<0.01	0.02	<0.001	<0.001	565	0.13	0.16	<0.001	<0.001	159	<1	435	<0.001	0	<0.001	<0.001	<0.001	0	2740	<1	0.58	0.72	<0.001	<0.001	213	0.12
NB2	Monitoring bore - south of Kestrel rejects dam lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	5-Feb-2019 15:35	574	<0.01	0.02	<0.001	<0.001	574	0.13	0.16	<0.001	<0.001	157	<1	439	<0.001	<0.001	<0.001	<0.001	<0.001	0.01	2730	<1	0.58	0.73	<0.001	<0.001	212	0.12
NB5	Monitoring bore AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	5-Feb-2019 14:34	671	<0.01	0.44	<0.001	<0.001	671	0.25	0.3	<0.001	<0.001	292	<1	1020	<0.001	0	<0.001	0.01	0.01	0.02	8240	<1	<0.05	0.69	<0.001	0	238	0
NF1A	Near Field 1a - Basalt East codisposal AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	6-Feb-2019 10:45	477	<0.01	0.08	0	0	452	0.13	0.15	<0.001	<0.001	72	24	88	<0.001	<0.001	0	0	0	0	1020	<1	<0.05	0.1	<0.001	0	59	0.08
NF1B	Near Field 1b - Basal Sand East AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	6-Feb-2019 10:02	408	<0.01	1.08	<0.001	<0.001	408	0.14	0.16	<0.001	<0.001	92	<1	240	<0.001	0	0	0.01	0	0.01	1400	<1	<0.05	1.46	<0.001	0.01	73	0.04
NF1B	Near Field 1b - Basal Sand East AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	6-Feb-2019 15:00	413	<0.01	1.13	<0.001	<0.001	413	0.13	0.16	<0.001	<0.001	91	<1	245	<0.001	0	0	0.01	0	0.01	1410	<1	<0.05	1.58	<0.001	0.01	71	0.04
NF2a	Near Field 2a - Basalt East codisposal AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	6-Feb-2019 08:55	443	<0.01	0.22	<0.001	<0.001	426	0.14	0.17	<0.001	<0.001	60	16	96	<0.001	0	<0.001	0.01	0	0.01	1090	<1	<0.05	0.44	<0.001	<0.001	64	0.02
NF3b	REF NF3b - Basal Sand East AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	6-Feb-2019 08:22	522	<0.01	0.8	0.01	0.01	522	0.19	0.22	<0.001	<0.001	104	<1	303	<0.001	0	0	0	0	0.01	1750	<1	1.63	3.2	<0.001	0.02	80	0.25
NF5	Near Field 5 AWL	Bore - Permian sandstone	GROUNDWATER - PERMIAN	4-Feb-2019 13:34	422	<0.01	0.13	0.01	0.02	406			<0.001	<0.001	27	16	88	<0.001	0			0.01	0.01	990	<1	<0.05	2.9	<0.001	0.01	36	

Site	Site Desc	Site Type	Site Category	Date	Alkalinity (CaCO3)_Total mg/L	Aluminium_Dissolved_Water mg/L	Aluminium_Total_Water mg/L	Arsenic_Dissolved_Water mg/L	Arsenic_Total_Water mg/L	Bicarbonate as CaCO3 mg/L	Boron_Dissolved_Water mg/L	Boron_Total_Water mg/L	Cadmium_Dissolved_Water mg/L	Cadmium_Total_Water mg/L	Calcium mg/L	Carbonate Alkalinity as CO3 mg/L	Chloride mg/L	Chromium_Dissolved_Water mg/L	Chromium_Total_Water mg/L	Cobalt_Dissolved_Water mg/L	Cobalt_Total_Water mg/L	Copper_Dissolved_Water mg/L	Copper_Total_Water mg/L	Electrical Conductivity (Lab) uS/cm	Hydroxide as CaCO3 mg/L	Iron_Dissolved_Water mg/L	Iron_Total_Water mg/L	Lead_Dissolved_Water mg/L	Lead_Total_Water mg/L	Magnesium mg/L	Manganese_Dissolved_Water mg/L
NS3	Monitoring bore - Basal Sand East lic AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	6-Feb-2019 14:46	498	<0.01	<0.01	<0.001	<0.001	498	0.14	0.16	<0.001	<0.001	48	<1	80	<0.001	<0.001	<0.001	<0.001	0	0	1070	<1	0.08	0.1	<0.001	<0.001	54	0.01
P2	Monitoring bore lic, north of 200's AWL	Bore - Permian GC seam	GROUNDWATER - PERMIAN	5-Feb-2019 09:15	235	0.02	0.3	<0.001	<0.001	205			<0.001	<0.001	4	30	346	<0.001	<0.001			<0.001	0.01	1410	<1	<0.005	0.83	<0.001	<0.001	9	
PB2	Production bore 2 lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	5-Feb-2019 10:44	581	<0.01	<0.01	<0.001	<0.001	581	0.2	0.24	<0.001	<0.001	382	<1	697	<0.001	<0.001	<0.001	<0.001	<0.001	0.01	5930	<1	3.24	3.62	<0.001	<0.001	475	0.35
SA1	Shallow aquifer monitoring bore 1 lic AWL	Bore - Shallow Aquifer	GROUNDWATER - CODISPOSAL	5-Feb-2019 14:52	784	<0.01	0.71	<0.001	<0.001	784	0.24	0.29	<0.001	<0.001	194	<1	737	<0.001	0	0	0	<0.001	0.01	6240	<1	0.27	1.47	<0.001	0	118	0.27
SDB05 A	compliance AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	6-Feb-2019 13:16	526	<0.01	0.02	0	0	513	0.11	0.12	<0.001	<0.001	62	13	83	<0.001	0	<0.001	<0.001	0	0	1140	<1	<0.005	<0.005	<0.001	<0.001	76	0.02
SDB05 B	compliance AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	6-Feb-2019 14:21	2140	0.26	1.55	<0.001	<0.001	<1	<0.005	<0.005	<0.001	<0.001	645	64	49	0.08	0.1	0	0	0.03	0.05	8490	2070	<0.005	1.31	0.01	0.01	<1	<0.001
SDB06 A	compliance AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	7-Feb-2019 10:59	624	<0.01	0.15	0	0	591	0.12	0.15	<0.001	<0.001	62	33	144	<0.001	0	<0.001	<0.001	0.01	0.01	1430	<1	<0.005	0.22	<0.001	0	75	0
SDB06 B	compliance AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	7-Feb-2019 11:23	415	<0.01	2.02	0.02	0.02	376	0.17	0.21	<0.001	<0.001	24	38	104	<0.001	0.02	<0.001	0.01	<0.001	0.03	1030	<1	<0.005	1.37	<0.001	0.01	33	0
SDB07 A	compliance AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	7-Feb-2019 06:37	422	<0.01	0.03	0	0	393	0.18	0.22	<0.001	<0.001	30	30	104	<0.001	<0.001	<0.001	<0.001	<0.001	0	1100	<1	<0.005	0.06	<0.001	<0.001	37	0.01
SDB07 B	compliance AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	7-Feb-2019 07:27	437	<0.01	0.01	0.01	0.01	396	0.18	0.21	<0.001	<0.001	22	41	103	<0.001	<0.001	<0.001	<0.001	<0.001	0	1070	<1	<0.005	0.06	<0.001	<0.001	31	0.01
SDB08 A	compliance AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	7-Feb-2019 08:46	869	<0.01	<0.01	0.01	0.01	869	0.15	0.18	<0.001	<0.001	102	<1	333	<0.001	<0.001	<0.001	<0.001	0	0	2230	<1	0.27	0.37	<0.001	<0.001	152	0.06

Site	Site Desc	Site Type	Site Category	Date	Alkalinity (CaCO3)_Total mg/L	Aluminium_Dissolved_Water mg/L	Aluminium_Total_Water mg/L	Arsenic_Dissolved_Water mg/L	Arsenic_Total_Water mg/L	Bicarbonate as CaCO3 mg/L	Boron_Dissolved_Water mg/L	Boron_Total_Water mg/L	Cadmium_Dissolved_Water mg/L	Cadmium_Total_Water mg/L	Calcium mg/L	Carbonate Alkalinity as CO3 mg/L	Chloride mg/L	Chromium_Dissolved_Water mg/L	Chromium_Total_Water mg/L	Cobalt_Dissolved_Water mg/L	Cobalt_Total_Water mg/L	Copper_Dissolved_Water mg/L	Copper_Total_Water mg/L	Electrical Conductivity (Lab) uS/cm	Hydroxide as CaCO3 mg/L	Iron_Dissolved_Water mg/L	Iron_Total_Water mg/L	Lead_Dissolved_Water mg/L	Lead_Total_Water mg/L	Magnesium mg/L	Manganese_Dissolved_Water mg/L
SDB08B	compliance AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	7-Feb-2019 09:50	988	0.45	0.58	<0.001	<0.001	<1	<0.05	<0.05	<0.001	0	400	29	88	<0.001	0	<0.001	<0.001	0	0.01	4120	958	0.06	0.1	0	0.01	<1	<0.001
T1	Monitoring bore tertiary basalt lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	5-Feb-2019 11:04	624	<0.01	0.1	0	0	624	0.16	0.2	<0.001	<0.001	192	<1	430	<0.001	<0.001	0	0	0.01	0.01	3280	<1	0.65	0.98	<0.001	<0.001	256	0.09

Site	Manganese_Total_Water mg/L	Mercury_Dissolved_Water mg/L	Mercury_Total Recoverable_Water mg/L	Molybdenum_Dissolved_Water mg/L	Molybdenum_Total_Water mg/L	Nickel_Dissolved_Water mg/L	Nickel_Total_Water mg/L	pH (Lab) pH	Potassium (K) mg/L	Selenium_Dissolved_Water mg/L	Selenium_Total_Water mg/L	Silver_Dissolved_Water mg/L	Silver_Total_Water mg/L	Sodium (Na) mg/L	Sulfate(SO4 2-) _Turbidimetric mg/L	Total Dissolved Solids (TDS) (Lab) mg/L	Uranium_Dissolved_Water mg/L	Uranium_Total_Water mg/L	Vanadium_Dissolved_Water mg/L	Vanadium_Total_Water mg/L	Zinc_Dissolved_Water mg/L	Zinc_Total_Water mg/L
300-MB04								8.09	13					687	118	2060						
300-MB11								8.25	7					125	16	560						
300-MB36								8.41	5					106	15	599						
3028D								8.55	3					350	<1	1020						
62641								8.43	18					93	<1	548						
CD01	0.4	<0.001	<0.001	0.01	0.01	0.03	0.04	7.94	10	<0.01	<0.01	<0.001	<0.001	1330	2410	6280	0	0	<0.01	<0.01	0.05	0.06
CD03	0.15	<0.001	<0.001	0	0	0.02	0.02	7.91	15	<0.01	<0.01	<0.001	<0.001	372	2230	5420	<0.001	<0.001	<0.01	<0.01	0.07	0.08
CD05	0.04	<0.001	<0.001	0.01	0.01	0	0.01	8.32	5	<0.01	<0.01	<0.001	<0.001	162	41	825	<0.001	<0.001	<0.01	<0.01	0.02	0.02
CD06	0.24	<0.001	<0.001	<0.001	<0.001	0.02	0.02	7.65	10	<0.01	<0.01	<0.001	<0.001	726	2800	6440	<0.001	<0.001	<0.01	<0.01	0.07	0.07
KS1F								7.85	9					213	124	1550						

Site	Manganese_Total_Water mg/L	Mercury_Dissolved_Water mg/L	Mercury_Total Recoverable_Water mg/L	Molybdenum_Dissolved_Water mg/L	Molybdenum_Total_Water mg/L	Nickel_Dissolved_Water mg/L	Nickel_Total_Water mg/L	pH (Lab) pH	Potassium (K) mg/L	Selenium_Dissolved_Water mg/L	Selenium_Total_Water mg/L	Silver_Dissolved_Water mg/L	Silver_Total_Water mg/L	Sodium (Na) mg/L	Sulfate(SO4 2-) _Turbidimetric mg/L	Total Dissolved Solids (TDS) (Lab) mg/L	Uranium_Dissolved_Water mg/L	Uranium_Total_Water mg/L	Vanadium_Dissolved_Water mg/L	Vanadium_Total_Water mg/L	Zinc_Dissolved_Water mg/L	Zinc_Total_Water mg/L
NB1	0.01	<0.001	<0.001	0.01	0.01	0	0	8.48	7	<0.01	<0.01	<0.001	<0.001	113	62	796	0	0	<0.01	<0.01	0.02	0.02
NB2	0.12	<0.001	<0.001	0	0	0	0	8	5	<0.01	<0.01	<0.001	<0.001	147	455	2100	<0.001	<0.001	<0.01	<0.01	0.02	0.03
NB2	0.12	<0.001	<0.001	0	0	0	0	8.18	6	<0.01	<0.01	<0.001	<0.001	147	464	2160	<0.001	<0.001	<0.01	<0.01	0.02	0.03
NB5	1.04	<0.001	<0.001	0	0	0.03	0.06	8.06	16	<0.01	<0.01	<0.001	<0.001	1460	2540	6900	0.01	0.01	<0.01	<0.01	0.02	0.06
NF1A	0.08	<0.001	<0.001	<0.001	<0.001	0	0	8.4	2	<0.01	<0.01	<0.001	<0.001	72	6	636	<0.001	<0.001	<0.01	<0.01	0.02	0.02
NF1B	0.13	<0.001	<0.001	<0.001	<0.001	0	0.01	8.2	1	<0.01	<0.01	<0.001	<0.001	96	16	925	0	0	0.01	0.02	0.03	0.03
NF1B	0.15	<0.001	<0.001	<0.001	<0.001	0	0.01	8.11	1	<0.01	<0.01	<0.001	<0.001	96	17	933	0	0	0.01	0.02	0.02	0.04
NF2a	0.18	<0.001	<0.001	0.01	0.01	0	0.02	8.36	5	<0.01	<0.01	<0.001	<0.001	89	54	667	0	0	<0.01	<0.01	0.02	0.02
NF3b	0.27	<0.001	<0.001	0	0	0	0.01	7.87	3	<0.01	<0.01	<0.001	<0.001	158	41	1050	0	0	<0.01	<0.01	0.04	0.09
NF5								8.37	4					148	20	585						

Site	Manganese_Total_Water mg/L	Mercury_Dissolved_Water mg/L	Mercury_Total Recoverable_Water mg/L	Molybdenum_Dissolved_Water mg/L	Molybdenum_Total_Water mg/L	Nickel_Dissolved_Water mg/L	Nickel_Total_Water mg/L	pH (Lab) pH	Potassium (K) mg/L	Selenium_Dissolved_Water mg/L	Selenium_Total_Water mg/L	Silver_Dissolved_Water mg/L	Silver_Total_Water mg/L	Sodium (Na) mg/L	Sulfate(SO4 2-) _Turbidimetric mg/L	Total Dissolved Solids (TDS) (Lab) mg/L	Uranium_Dissolved_Water mg/L	Uranium_Total_Water mg/L	Vanadium_Dissolved_Water mg/L	Vanadium_Total_Water mg/L	Zinc_Dissolved_Water mg/L	Zinc_Total_Water mg/L
NS3	0.01	<0.001	<0.001	0	0	<0.001	<0.001	8.25	5	<0.01	<0.01	<0.001	<0.001	117	20	619	<0.001	<0.001	<0.001	<0.001	0.02	0.02
P2								8.64	6					262	<1	792						
PB2	0.35	<0.001	<0.001	0	0	0.02	0.02	7.92	18	<0.01	<0.01	<0.001	<0.001	482	2260	5660	<0.001	<0.001	<0.001	<0.001	0.01	0.01
SA1	0.33	<0.001	<0.001	0	0	0.04	0.05	8.16	8	<0.01	<0.01	<0.001	<0.001	1160	1730	4580	0.01	0.01	<0.001	<0.001	0.01	0.03
SDB05 A	0.02	<0.001	<0.001	0	0	0	0	8.33	6	<0.01	<0.01	<0.001	<0.001	83	31	696	<0.001	<0.001	<0.001	<0.001	0.01	0.01
SDB05 B	0.03	<0.001	<0.001	0.07	0.09	0.02	0.03	12.4	118	<0.01	<0.01	<0.001	<0.001	236	11	2450	<0.001	<0.001	<0.001	<0.001	0.01	0.08
SDB06 A	0.01	<0.001	<0.001	0.01	0.01	0	0.01	8.45	11	<0.01	<0.01	<0.001	<0.001	152	23	857	<0.001	<0.001	<0.001	<0.001	0.02	0.03
SDB06 B	0.01	<0.001	<0.001	0.03	0.03	<0.001	0.03	8.61	6	<0.01	<0.01	<0.001	<0.001	158	23	630	<0.001	<0.001	<0.001	0.02	<0.005	0.03
SDB07 A	0.01	<0.001	<0.001	0.01	0.01	0	0	8.48	5	<0.01	<0.01	<0.001	<0.001	167	45	678	<0.001	<0.001	<0.001	<0.001	0.01	0.01
SDB07 B	0.01	<0.001	<0.001	0.01	0.01	<0.001	0	8.6	9	<0.01	<0.01	<0.001	<0.001	179	29	646	<0.001	<0.001	<0.001	<0.001	<0.005	<0.005
SDB08 A	0.06	<0.001	<0.001	0	0.01	0	0	8.26	11	<0.01	<0.01	<0.001	<0.001	178	38	1350	<0.001	<0.001	<0.001	<0.001	0.02	0.03

Site	Manganese_Total_Water mg/L	Mercury_Dissolved_Water mg/L	Mercury_Total Recoverable_Water mg/L	Molybdenum_Dissolved_Water mg/L	Molybdenum_Total_Water mg/L	Nickel_Dissolved_Water mg/L	Nickel_Total_Water mg/L	pH (Lab) pH	Potassium (K) mg/L	Selenium_Dissolved_Water mg/L	Selenium_Total_Water mg/L	Silver_Dissolved_Water mg/L	Silver_Total_Water mg/L	Sodium (Na) mg/L	Sulfate(SO4 2-)_Turbidimetric mg/L	Total Dissolved Solids (TDS) (Lab) mg/L	Uranium_Dissolved_Water mg/L	Uranium_Total_Water mg/L	Vanadium_Dissolved_Water mg/L	Vanadium_Total_Water mg/L	Zinc_Dissolved_Water mg/L	Zinc_Total_Water mg/L
SDB08 B	<0.001	<0.001	<0.001	0.05	0.05	0	0	12.2	15	<0.01	<0.01	<0.001	<0.001	102	18	1300	<0.001	<0.001	<0.01	<0.001	0.01	0.01
T1	0.09	<0.001	<0.001	0.03	0.04	0.02	0.02	8.14	10	<0.01	<0.01	<0.001	<0.001	200	759	2480	<0.001	<0.001	<0.01	<0.001	0.09	0.1