

Site	Site Desc	Site Type	Site Category	Date	Comment_Field_Part 1	Electrical Conductivity (Lab) µS/cm	pH (Lab) pH	Sulfate(SO4 2-) _Turbidimetric mg/L
3067R	Satellite bore to D2 lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	6-Oct-2021 15:49	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	8480	7.2	1880
3069R	Satellite bore to D2 - Basal Sand East lic AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	6-Oct-2021 15:13	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	2550	7.71	347
3072R	Satellite bore to D1 lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	6-Oct-2021 14:27	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	1260	7.8	39
CD01	Co-Disposal Series lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	9-Oct-2021 08:48	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	8480	7.9	2400
CD03	Co-Disposal Series lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	9-Oct-2021 09:35	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	6340	7.77	2580
CD04	Co-Disposal Series - Basal Sand East	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	9-Oct-2021 10:54	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	1430	8.13	30
CD05	Co-Disposal Series - Basalt East lic AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	5-Oct-2021 15:06	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	1390	7.98	34
CD06	Co-Disposal Series lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	7-Oct-2021 08:10	Low Flow Pump. Not turbid. Clear colour. Slight sulphur odour. No particles.	7260	7.74	2960
KS2A	Monitoring bore lic codisposal AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	12-Oct-2021 14:52	Dry. Tape stopped at approx. 17.01m.			
KS2B	Monitoring bore lic AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	12-Oct-2021 14:55	Bore bent. No sample collected. SWL only.			
NB1	Monitoring bore - east of Kestrel rejects dam Basalt East codisposal AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	5-Oct-2021 14:23	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	1370	8.18	100
NB2	Monitoring bore - south of Kestrel rejects dam lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	7-Oct-2021 11:09	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD01 Taken- Yes.	4020	7.94	840
NB5	Monitoring bore AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	12-Oct-2021 14:36	Bore blocked at approx. 1.2m. No sample collected. SWL only.			
NF1A	Near Field 1a - Basalt East codisposal AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	9-Oct-2021 12:17	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	1040	8.06	7
NF1B	Near Field 1b - Basal Sand East AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	9-Oct-2021 11:48	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD02 Taken- Yes.	1420	8.06	18
NF2a	Near Field 2a - Basalt East codisposal AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	9-Oct-2021 13:07	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	1090	8.24	54
NF3b	REF NF3b - Basal Sand East AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	9-Oct-2021 13:50	Bailer. Not turbid. Clear colour. Sulphur odour. No particles. Bailed 12L.	1690	8.02	40
NS3	Monitoring bore - Basal Sand East lic AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	7-Oct-2021 10:26	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	1070	8.19	20
PB2	Production bore 2 lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	9-Oct-2021 10:50	Pump in bore. Not pumping at time of collection. No sample collected.			
SA1	Shallow aquifer monitoring bore 1 lic AWL	Bore - Shallow Aquifer	GROUNDWATER - CODISPOSAL	12-Oct-2021 14:39	Total depth approx. 8.53m. Insufficient water to pump or bail. No sample collected. SWL only.			
SA2	Shallow aquifer monitoring bore 2 lic AWL	Bore - Shallow Aquifer	GROUNDWATER - CODISPOSAL	6-Oct-2021 13:49	Bailer. Not turbid. Clear colour. Nil odour. Organic particles.. Bailed 6L.	13100	7.6	3630
SA6	Shallow aquifer monitoring bore 6 lic AWL	Bore - Shallow Aquifer	GROUNDWATER - CODISPOSAL	6-Oct-2021 12:35	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 6L.	11500	7.67	2720
SA7	Shallow aquifer monitoring bore 7 - lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	6-Oct-2021 14:18	Dry. Tape stopped at approx. 1.8m. No sample collected.			
SDB05A	compliance AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	12-Oct-2021 13:08	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	1090	8.4	31
SDB05B	compliance AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	12-Oct-2021 12:57	Bailer. Turbid. Dark brown colour. Strong organic odour. Fine particles. Brown particles. (Earthy odour). Bailed 6L.	5890	12.4	4
SDB06A	compliance AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	12-Oct-2021 11:49	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 6L.	1340	8.46	22
SDB06B	compliance AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	12-Oct-2021 12:01	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	1060	8.56	32
SDB07A	compliance AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	7-Oct-2021 12:13	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	1060	8.23	25
SDB07B	compliance AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	7-Oct-2021 12:47	Low Flow Pump. Not turbid. Clear colour. Slight organic odour. No particles. (Earthy odour).	1050	8.41	12
SDB08A	compliance AWL	Bore - Basalt East	GROUNDWATER - CODISPOSAL	7-Oct-2021 13:46	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	2300	8.11	36
SDB08B	compliance AWL	Bore - Basal Sand East	GROUNDWATER - CODISPOSAL	7-Oct-2021 14:22	Low Flow Pump. Not turbid. Clear colour. Slight organic odour. No particles. (earthy odour).	3340	12.1	19
T1	Monitoring bore tertiary basalt lic AWL	Bore - Tertiary Basalt	GROUNDWATER - CODISPOSAL	9-Oct-2021 10:13	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	3740	7.98	1040