

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
202	1-Dec-2022 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
300-MB04	22-Dec-2022 14:45:00	GROUNDWATER - BASAL SAND	SWL only.	56.55
300-MB11	22-Dec-2022 14:53:00	GROUNDWATER - BASAL SAND	SWL only.	53.11
300-MB36	22-Dec-2022 15:12:00	GROUNDWATER - BASAL SAND	SWL only.	51.3
301N	1-Dec-2022 00:02:00	Bore - Permian GC seam, GROUNDWATER - PERMIAN	Not Scheduled.	
3028D	22-Dec-2022 16:13:00	Bore - Permian sandstone, GROUNDWATER - PERMIAN	SWL only.	24.34
303	1-Dec-2022 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3045D	22-Dec-2022 16:00:00	GROUNDWATER - BASAL SAND	SWL only.	15.43
3067R	14-Dec-2022 13:40:00	Bore - Tertiary Basalt, GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. EC double checked.	3.34
3069R	14-Dec-2022 12:48:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	16.15
3072R	14-Dec-2022 11:33:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	6.32
62641	21-Dec-2022 14:32:00	Bore - Tertiary Basalt, GROUNDWATER - BASALT	SWL only.	14.88
CD01	20-Dec-2022 11:59:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	19.17
CD03	20-Dec-2022 12:53:00	Bore - Tertiary Basalt, GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	28.54
CD04	20-Dec-2022 15:51:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	32.06
CD05	21-Dec-2022 10:29:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	21.93
CD06	20-Dec-2022 10:09:00	Bore - Tertiary Basalt, GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL & EC doubled checked and confirmed.	12.5
KS1D	1-Dec-2022 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
KS1F	22-Dec-2022 15:15:00	Bore - Tertiary Basal Sand, GROUNDWATER - BASAL SAND	SWL only.	44.12
KS2A	22-Dec-2022 13:55:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Dry. Tape stopped at approx. 17.41m.	
KS2B	22-Dec-2022 13:58:00	GROUNDWATER - CODISPOSAL	Bore bent, no sample collected. SWL only.	65.37
KS4A	23-Dec-2022 09:40:00	Bore - Permian GC seam, GROUNDWATER - PERMIAN	SWL only.	162.45
MB1 RDH1357	23-Dec-2022 06:30:00	GROUNDWATER - PERMIAN	SWL only.	37.6
MB2 RDH1338	23-Dec-2022 07:38:00	GROUNDWATER - PERMIAN	SWL only.	47.01
MB3 RDH1097	23-Dec-2022 08:16:00	Bore - Basalt West, GROUNDWATER - BASALT	SWL only.	37.75
MB4 RDH1336	22-Dec-2022 10:55:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	21.43
MB5 DDH435	22-Dec-2022 11:05:00	Bore - Permian GC seam, GROUNDWATER - PERMIAN	SWL only.	60.39
MB6 RDH1015	23-Dec-2022 08:06:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	37.33
MB7 RDH1304	23-Dec-2022 09:29:00	GROUNDWATER - PERMIAN	SWL only.	63.88
MB8 RDH1009	1-Dec-2022 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
NB1	21-Dec-2022 08:59:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	20.37
NB2	14-Dec-2022 15:40:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD01 Taken- Yes. SWL double checked and confirmed.	16.25
NB5	22-Dec-2022 13:24:00	Bore - Tertiary Basalt, GROUNDWATER - CODISPOSAL	Bore blocked at approx. 1.2m. No sample collected. SWL double checked and confirmed.	5.7
NF1A	21-Dec-2022 13:47:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	16.42
NF1B	21-Dec-2022 12:50:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD02 Taken- Yes.	20.73
NF2a	21-Dec-2022 12:01:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	23.42
NF3b	21-Dec-2022 11:39:00	GROUNDWATER - CODISPOSAL	Bailer. Cloudy sample. Clear colour. Slight sulphur odour. No particles. Bailed 12L.	20.64
NF5	1-Dec-2022 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not Scheduled.	
NF6	22-Dec-2022 16:11:00	Bore - Basalt East, GROUNDWATER - BASALT	SWL only.	16.6
NS3	19-Dec-2022 10:05:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	32.61
P1	1-Dec-2022 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P2	20-Dec-2022 15:48:00	Bore - Permian GC seam, GROUNDWATER - PERMIAN	SWL only.	59.12
P3	21-Dec-2022 16:35:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	173.07
P4	21-Dec-2022 16:21:00	Bore - Permian GC seam, GROUNDWATER - PERMIAN	SWL only. SWL double checked and confirmed.	137.07
PB2	20-Dec-2022 14:51:00	Bore - Tertiary Basalt, GROUNDWATER - CODISPOSAL	Not pumping. No sample collected. SWL only.	29.45
R1	22-Dec-2022 12:47:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	42.22
R10	9-Dec-2022 10:42:00	Bore - Tertiary Basalt, GROUNDWATER - BASALT	SWL only.	18.97
R11	9-Dec-2022 11:31:00	Bore - Permian sandstone, GROUNDWATER - PERMIAN	SWL only.	53.79
R12	22-Dec-2022 16:53:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	25.4
R13	1-Dec-2022 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not Scheduled.	
R14	22-Dec-2022 17:13:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	16.58
R15A	22-Dec-2022 15:52:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	12.63
R16	23-Dec-2022 09:25:00	Bore - Tertiary Basalt, GROUNDWATER - BASALT	SWL only.	20.78
R17	1-Dec-2022 00:02:00	Bore - Permian sandstone, GROUNDWATER - PERMIAN	Not Scheduled.	
R18A	22-Dec-2022 15:43:00	Bore - Basalt East, GROUNDWATER - BASALT	SWL only.	16.36
R2	9-Dec-2022 09:25:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.85

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
R3	4-Dec-2022 00:02:00	Bore - Basal Sand West, GROUNDWATER - BASAL SAND	No access as requested by Landholder. No SWL obtained. Kestrel notified.	
R4	9-Dec-2022 11:09:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	33.22
R5	22-Dec-2022 07:49:00	Bore - Basalt East, GROUNDWATER - BASALT	SWL only.	13.34
R6	22-Dec-2022 07:34:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	27.99
R7A	22-Dec-2022 11:53:00	Bore - Tertiary Basalt, GROUNDWATER - BASALT	SWL only.	37.48
R7B	22-Dec-2022 11:55:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	59.72
R8	9-Dec-2022 09:49:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. 251 QAQCD03 Taken- No. SWL checked twice and confirmed.	40.76
R9	9-Dec-2022 10:19:00	Bore - Permian sandstone, GROUNDWATER - PERMIAN	SWL only.	32.1
SA1	22-Dec-2022 13:27:00	GROUNDWATER - CODISPOSAL	SWL only. Insufficient water to pump or bail. No sample collected. SWL only. SWL double checked and confirmed.	7.68
SA2	14-Dec-2022 11:16:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Slight sulphur odour. Organic particles. Bailed 6L.	1.11
SA6	14-Dec-2022 10:55:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 6L.	1.18
SA7	21-Dec-2022 16:46:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Dry. Tape stopped at approx. 1.80m. No sample collected.	
SDB01A	23-Dec-2022 07:48:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	30.97
SDB03B	22-Dec-2022 16:32:00	Bore - Basal Sand West, GROUNDWATER - BASAL SAND	SWL only. 251 QAQCD05 Taken- No.	24.8
SDB05A	21-Dec-2022 15:18:00	Bore - Basalt East, GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	26.81
SDB05B	21-Dec-2022 15:12:00	GROUNDWATER - CODISPOSAL	Bailer. Slightly turbid. Light brown/white colour. Organic odour. Fine particles. White particles. (Earthy odour). Bailed 6L.	40.2
SDB06A	19-Dec-2022 15:18:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Bailer. Not turbid. Clear colour. Nil odour. No particles. Water insufficient to pump. Bailed 6L.	29.07
SDB06B	19-Dec-2022 15:31:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Cloudy sample. Clear colour. Nil odour. No particles.	37.04
SDB07A	19-Dec-2022 11:01:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	18.36
SDB07B	19-Dec-2022 11:33:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. (earthy odour).	18.21
SDB08A	19-Dec-2022 12:38:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	25.58
SDB08B	19-Dec-2022 13:29:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. SWL and EC double checked and confirmed. (Earthy odour).	28.59
T1	20-Dec-2022 14:12:00	Bore - Tertiary Basalt, GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	24.02