

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
202	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
300-MB04	27-Jan-2023 09:00:00	GROUNDWATER - BASAL SAND	Access restricted. Connor unable to access site.	
300-MB11	27-Jan-2023 09:05:00	GROUNDWATER - BASAL SAND	Access restricted. Connor unable to access site.	
300-MB36	27-Jan-2023 09:10:00	GROUNDWATER - BASAL SAND	Access restricted. Connor unable to access site.	
301N	1-Jan-2023 00:02:00	Bore - Permian GC seam, GROUNDWATER - PERMIAN	Not Scheduled.	
3028D	1-Jan-2023 00:02:00	Bore - Permian sandstone, GROUNDWATER - PERMIAN	Not scheduled. Reduced program provided by Kestrel due to rain.	
303	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3045D	27-Jan-2023 15:27:00	GROUNDWATER - BASAL SAND	SWL only.	15.5
3067R	26-Jan-2023 13:48:00	Bore - Tertiary Basalt, GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	3.1
3069R	26-Jan-2023 13:09:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	16.06
3072R	26-Jan-2023 12:30:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	6.55
62641	1-Jan-2023 00:02:00	Bore - Tertiary Basalt, GROUNDWATER - BASALT	Not scheduled. Reduced program provided by Kestrel due to rain.	
CD01	26-Jan-2023 07:40:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	18.44
CD03	26-Jan-2023 08:36:00	Bore - Tertiary Basalt, GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	26.63
CD04	26-Jan-2023 10:01:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	31.45
CD05	27-Jan-2023 12:21:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	19.85
CD06	25-Jan-2023 14:51:00	Bore - Tertiary Basalt, GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Sulphur odour. No particles. SWL double checked and confirmed.	10.17
KS1D	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not scheduled. Reduced program provided by Kestrel due to rain.	
KS1F	1-Jan-2023 00:02:00	Bore - Tertiary Basal Sand, GROUNDWATER - BASAL SAND	Not scheduled. Reduced program provided by Kestrel due to rain.	
KS2A	27-Jan-2023 14:58:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Bailer. Cloudy sample. Clear colour. Nil odour. Organic particles. Insufficient water to pump. Bailed 4L. (Due to running out of water).	15.86
KS2B	27-Jan-2023 14:53:00	GROUNDWATER - CODISPOSAL	Bore bent. No sample collected. SWL only.	65.36
KS4A	1-Jan-2023 00:02:00	Bore - Permian GC seam, GROUNDWATER - PERMIAN	Not scheduled. Reduced program provided by Kestrel due to rain.	
MB1 RDH1357	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN	Not scheduled. Reduced program provided by Kestrel due to rain.	
MB2 RDH1338	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN	Not scheduled. Reduced program provided by Kestrel due to rain.	
MB3 RDH1097	27-Jan-2023 10:03:00	Bore - Basalt West, GROUNDWATER - BASALT	SWL only.	37.71
MB4 RDH1336	27-Jan-2023 10:42:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	21.4
MB5 DDH435	1-Jan-2023 00:02:00	Bore - Permian GC seam, GROUNDWATER - PERMIAN	Not scheduled. Reduced program provided by Kestrel due to rain.	
MB6 RDH1015	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not scheduled. Reduced program provided by Kestrel due to rain.	
MB7 RDH1304	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN	Not scheduled. Reduced program provided by Kestrel due to rain.	
MB8 RDH1009	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not scheduled. Reduced program provided by Kestrel due to rain.	
NB1	26-Jan-2023 10:51:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	18.43
NB2	25-Jan-2023 14:10:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD01 Taken- Yes. SWL double checked and confirmed.	15.44
NB5	26-Jan-2023 11:53:00	Bore - Tertiary Basalt, GROUNDWATER - CODISPOSAL	Bore blocked at approx. 1.2m. No sample collected. SWL double checked and confirmed.	4.73
NF1A	26-Jan-2023 15:54:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.72
NF1B	26-Jan-2023 14:57:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD02 Taken- Yes.	20.47
NF2a	27-Jan-2023 13:25:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	21.89
NF3b	27-Jan-2023 13:05:00	GROUNDWATER - CODISPOSAL	Bailer. Cloudy sample. Clear colour. Nil odour. No particles. Bailed 12L.	20.66
NF5	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not scheduled. Reduced program provided by Kestrel due to rain.	
NF6	27-Jan-2023 15:19:00	Bore - Basalt East, GROUNDWATER - BASALT	SWL only. SWL double checked and confirmed.	17.32
NS3	25-Jan-2023 08:18:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Cloudy sample. Clear colour. Nil odour. No particles.	32.49
P1	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not scheduled. Reduced program provided by Kestrel due to rain.	
P2	1-Jan-2023 00:02:00	Bore - Permian GC seam, GROUNDWATER - PERMIAN	Not Scheduled.	
P3	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P4	1-Jan-2023 00:02:00	Bore - Permian GC seam, GROUNDWATER - PERMIAN	Not Scheduled.	
PB2	26-Jan-2023 09:56:00	Bore - Tertiary Basalt, GROUNDWATER - CODISPOSAL	Pump in bore. Not pumping. No sample collected. SWL only.	26.27
R1	27-Jan-2023 11:56:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	42.76
R10	27-Jan-2023 09:20:00	Bore - Tertiary Basalt, GROUNDWATER - BASALT	SWL only.	18.97
R11	27-Jan-2023 08:47:00	Bore - Permian sandstone, GROUNDWATER - PERMIAN	SWL only.	53.89
R12	27-Jan-2023 17:01:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	25.34
R13	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not scheduled. Reduced program provided by Kestrel due to rain.	
R14	1-Jan-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not scheduled. Reduced program provided by Kestrel due to rain.	
R15A	27-Jan-2023 15:36:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	12.64
R16	1-Jan-2023 00:02:00	Bore - Tertiary Basalt, GROUNDWATER - BASALT	Not scheduled. Reduced program provided by Kestrel due to rain.	
R17	1-Jan-2023 00:02:00	Bore - Permian sandstone, GROUNDWATER - PERMIAN	Not scheduled. Reduced program provided by Kestrel due to rain.	
R18A	27-Jan-2023 15:49:00	Bore - Basalt East, GROUNDWATER - BASALT	SWL only.	16.2
R2	27-Jan-2023 10:55:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.83
R3	27-Jan-2023 09:02:00	Bore - Basal Sand West, GROUNDWATER - BASAL SAND	No access as requested by Landholder. No SWL obtained. Kestrel notified.	

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
R4	27-Jan-2023 08:59:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	33.2
R5	27-Jan-2023 07:01:00	Bore - Basalt East, GROUNDWATER - BASALT	SWL only.	12.91
R6	27-Jan-2023 06:46:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	27.97
R7A	27-Jan-2023 11:15:00	Bore - Tertiary Basalt, GROUNDWATER - BASALT	SWL only.	37.46
R7B	27-Jan-2023 11:18:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	59.68
R8	27-Jan-2023 09:47:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. 251 QAQCD03 Taken- No. SWL double checked and confirmed.	39.63
R9	27-Jan-2023 09:39:00	Bore - Permian sandstone, GROUNDWATER - PERMIAN	SWL only.	32.01
SA1	26-Jan-2023 11:51:00	GROUNDWATER - CODISPOSAL	Unsuccessful bailing bore. No water obtained. No sample collected. SWL only. SWL double checked and confirmed.	6.74
SA2	26-Jan-2023 12:17:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Slight sulphur odour. Organic particles. Bailed 6L SWL and EC double checked and confirmed.	0.49
SA6	26-Jan-2023 12:06:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 6L.	0.84
SA7	27-Jan-2023 14:47:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Dry. Tape stopped at approx. 1.80m. No sample collected.	
SDB01A	27-Jan-2023 10:15:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	30.96
SDB03B	27-Jan-2023 16:25:00	Bore - Basal Sand West, GROUNDWATER - BASAL SAND	SWL only. 251 QAQCD05 Taken- No.	24.82
SDB05A	25-Jan-2023 15:38:00	Bore - Basalt East, GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	26.11
SDB05B	25-Jan-2023 15:25:00	GROUNDWATER - CODISPOSAL	Bailer. Slightly turbid. White in colour. Slight organic odour. Fine particles. White particles. (Earthy odour). Bailed 6L.	40.09
SDB06A	25-Jan-2023 12:59:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Bailer. Not turbid. Clear colour. Nil odour. No particles. Water insufficient to pump. Bailed 6L.	29.06
SDB06B	25-Jan-2023 13:17:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	36.9
SDB07A	25-Jan-2023 09:16:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	17.78
SDB07B	25-Jan-2023 09:59:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. (Earthy odour).	17.64
SDB08A	25-Jan-2023 11:00:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	24.05
SDB08B	25-Jan-2023 11:46:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. SWL double checked and confirmed.	28.05
T1	26-Jan-2023 09:11:00	Bore - Tertiary Basalt, GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	22.11