

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
202	20-Feb-2023 13:56:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	No access for pump or bailer. No sample collected. SWL only.	126.04
300-MB04	16-Feb-2023 16:45:00	GROUNDWATER - BASAL SAND	Access restricted. No access. Kestrel personnel notified (Connor Jacklin). No sample collected.	
300-MB11	16-Feb-2023 16:45:00	GROUNDWATER - BASAL SAND	Access restricted. No access. Kestrel personnel notified (Connor Jacklin). No sample collected.	
300-MB36	20-Feb-2023 11:47:00	GROUNDWATER - BASAL SAND	Low Flow Pump. Not turbid. Clear colour. Nil odour. Fine particles. Orange particles.	51.34
301N	24-Feb-2023 15:27:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	No access for dipper tape due to headworks. No SWL.	
303	20-Feb-2023 13:35:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Bailing unsuccessful. No sample collected. SWL only.	116.93
3045D	20-Feb-2023 15:43:00	GROUNDWATER - BASAL SAND	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.56
3067R	10-Feb-2023 11:47:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	3.35
3069R	10-Feb-2023 10:59:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.94
3072R	10-Feb-2023 12:25:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	5.32
62641	13-Feb-2023 15:38:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	Low Flow Pump. Cloudy sample. Clear colour. Nil odour. Fine particles. Black particles.	14.7
CD01	7-Feb-2023 08:45:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. EC double checked.	18.36
CD03	7-Feb-2023 10:01:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	26.27
CD04	7-Feb-2023 12:59:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	31.45
CD05	21-Feb-2023 08:17:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	19.92
CD06	8-Feb-2023 09:09:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Slight sulphur odour. No particles. SWL double checked and confirmed.	10.82
KS1D	20-Feb-2023 13:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Dry. Tape stopped at approx. 27.49m.	
KS1F	20-Feb-2023 12:38:00	GROUNDWATER - BASAL SAND, Bore - Tertiary Basal Sand	Bailer. Turbid. White colour. Nil odour. Fine particles. White particles. TD = 46m.	44.24
KS2A	16-Feb-2023 11:56:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL only.	15.79
KS2B	16-Feb-2023 11:52:00	GROUNDWATER - CODISPOSAL	Bore bent. No sample collected. SWL only.	65.42
KS4A	24-Feb-2023 15:22:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Bore blocked for pump at approx. 90m. No sample collected. SWL only.	162.35
MB1 RDH1357	22-Feb-2023 11:31:00	GROUNDWATER - PERMIAN	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	38.08
MB2 RDH1338	22-Feb-2023 15:13:00	GROUNDWATER - PERMIAN	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. EC has changed significantly. Pumped extra litres to confirm.	47.16
MB5 DDH435	14-Feb-2023 10:12:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	60.32
NB1	7-Feb-2023 13:56:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	18
NB2	8-Feb-2023 11:16:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD01 Taken- Yes.	15.05
NB5	16-Feb-2023 11:00:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Bore blocked at approx. 1.2m. No sample collected.	4.72
NF1A	13-Feb-2023 14:31:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.51
NF1B	13-Feb-2023 13:40:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD02 Taken- Yes.	20.09
NF2a	21-Feb-2023 09:32:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	21.52
NF3b	21-Feb-2023 09:16:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Slight sulphur odour. No particles. Bailed 12L.	20.69
NF5	16-Feb-2023 12:45:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Tape stopped at approx. 28.15m. No sample collected.	27.96
NF6	20-Feb-2023 14:07:00	GROUNDWATER - BASALT, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	17.7
NS3	8-Feb-2023 10:20:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	32.37
P1	20-Feb-2023 13:12:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Casing and plinth damaged - preventing sample. No sample collected. SWL only.	56.4
P3	16-Feb-2023 08:16:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Hydrasleeve. Turbid. Grey colour. Nil odour. Fine particles. Black particles.	173.15
P4	16-Feb-2023 07:36:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Hydrasleeve. Turbid. Black colour. Sulphur odour. Fine particles. Black particles.	137.15
PB2	7-Feb-2023 11:36:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL double checked and confirmed. Pump in bore. Not pumping, no sample collected.	25.89
R1	24-Feb-2023 09:26:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	42.95
R10	14-Feb-2023 12:54:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	18.92
R12	22-Feb-2023 10:25:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	25.48
R13	22-Feb-2023 07:53:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	39.47
R14	22-Feb-2023 09:33:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	17.05
R15A	21-Feb-2023 10:57:00	GROUNDWATER - BASALT, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	12.6
R17	22-Feb-2023 12:56:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Low Flow Pump. Cloudy sample. Clear colour. Slight organic odour. No particles.	55.32
R18A	21-Feb-2023 12:23:00	GROUNDWATER - BASALT, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	16.06
R2	14-Feb-2023 11:42:00	GROUNDWATER - BASALT, Bore - Basalt West	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	38.81
R3	7-Feb-2023 06:34:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	No access as requested by landholder. No sample collected. Kestrel notified.	
R4	15-Feb-2023 14:35:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	33.23
R5	23-Feb-2023 09:46:00	GROUNDWATER - BASALT, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	12.93
R6	23-Feb-2023 08:38:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	27.96
R7A	14-Feb-2023 08:50:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	37.42
R7B	14-Feb-2023 07:41:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	Low Flow Pump. Cloudy sample. Clear colour. Nil odour. Fine particles. Black particles.	59.66

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
R8	14-Feb-2023 13:44:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Low Flow Pump. Cloudy sample. Clear colour. Slight sulphur odour. Fine particles. White particles. 251_QAQCD03 Taken- No. SWL double checked and confirmed. pH double checked and confirmed.	40.5
R9	24-Feb-2023 11:01:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Low Flow Pump. Not turbid. Clear colour. Sulphur odour. No particles.	31.98
SA1	16-Feb-2023 11:07:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. Organic particles. Bailed 5L. Bailer started only obtaining half a litre.	6.64
SA2	10-Feb-2023 10:49:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Slight sulphur odour. Organic particles. Bailed 6L.	1.26
SA6	10-Feb-2023 10:25:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. EC double checked and confirmed. Bailed 6L.	1.22
SA7	16-Feb-2023 11:25:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Dry. Tape stopped at approx. 1.80m. No sample collected.	
SDB01A	22-Feb-2023 14:03:00	GROUNDWATER - BASALT, Bore - Basalt West	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	30.95
SDB03B	21-Feb-2023 15:59:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD05 Taken- Yes.	24.89
SDB05A	13-Feb-2023 12:36:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	24.22
SDB05B	13-Feb-2023 12:28:00	GROUNDWATER - CODISPOSAL	Bailer. Cloudy sample. Light white colour. Organic odour. Fine particles. White particles. (Earthy odour). Bailed 6L.	40.36
SDB06A	13-Feb-2023 11:07:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Bailer. Not turbid. Clear colour. Nil odour. No particles. Water insufficient to pump. Bailed 12L.	28.68
SDB06B	13-Feb-2023 11:17:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	36.73
SDB07A	8-Feb-2023 12:18:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	17.12
SDB07B	8-Feb-2023 13:02:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. SWL and EC double checked and confirmed. (Earthy odour).	16.98
SDB08A	8-Feb-2023 14:02:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	22.95
SDB08B	8-Feb-2023 14:45:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. SWL and EC double checked and confirmed.	27.03
T1	7-Feb-2023 10:52:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	21.74