

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
202	1-Mar-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
300-MB04	22-Mar-2023 13:02:00	GROUNDWATER - BASAL SAND	Access restricted. No access. Kestrel personnel notified (Connor Jacklin). No SWL recorded.	
300-MB11	22-Mar-2023 13:02:00	GROUNDWATER - BASAL SAND	Access restricted. No access. Kestrel personnel notified (Connor Jacklin). No SWL recorded.	
300-MB36	22-Mar-2023 13:00:00	GROUNDWATER - BASAL SAND	SWL only.	51.32
301N	1-Mar-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3028D	1-Mar-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not Scheduled.	
303	1-Mar-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3045D	22-Mar-2023 13:41:00	GROUNDWATER - BASAL SAND	SWL only.	15.76
3067R	21-Mar-2023 15:24:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	3.7
3069R	21-Mar-2023 14:33:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.8
3072R	21-Mar-2023 16:08:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	5.4
62641	21-Mar-2023 13:58:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only. SWL double checked and confirmed.	14.12
CD01	7-Mar-2023 10:09:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	18.47
CD03	20-Mar-2023 15:05:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	27.16
CD04	21-Mar-2023 08:28:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	31.11
CD05	21-Mar-2023 10:35:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	20.6
CD06	8-Mar-2023 14:05:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Slight sulphur odour. No particles.	11.43
KS1D	22-Mar-2023 13:09:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Dry. Tape stopped at approx. 27.50m.	
KS1F	22-Mar-2023 13:06:00	GROUNDWATER - BASAL SAND, Bore - Tertiary Basal Sand	SWL only.	44.45
KS2A	22-Mar-2023 12:36:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL only.	16.47
KS2B	22-Mar-2023 12:31:00	GROUNDWATER - CODISPOSAL	Bore bent. No sample collected. SWL only.	65.43
KS4A	1-Mar-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
MB1 RDH1357	1-Mar-2023 00:02:00	GROUNDWATER - PERMIAN	Not Scheduled.	
MB2 RDH1338	1-Mar-2023 00:02:00	GROUNDWATER - PERMIAN	Not Scheduled.	
MB3 RDH1097	22-Mar-2023 16:26:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	37.81
MB4 RDH1336	23-Mar-2023 12:34:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	21.45
MB5 DDH435	23-Mar-2023 12:52:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	60.35
MB6 RDH1015	22-Mar-2023 16:37:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	37.45
MB7 RDH1304	23-Mar-2023 10:21:00	GROUNDWATER - PERMIAN	SWL only.	63.92
MB8 RDH1009	23-Mar-2023 15:52:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	1.28
NB1	21-Mar-2023 09:50:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	18.98
NB2	8-Mar-2023 08:02:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD01 Taken- Yes.	15.31
NB5	22-Mar-2023 10:16:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Bore blocked at approx. 1.2m. No sample collected. SWL only.	4.92
NF1A	21-Mar-2023 13:15:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.37
NF1B	21-Mar-2023 12:23:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD02 Taken- Yes.	19.78
NF2a	21-Mar-2023 11:42:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	21.35
NF3b	21-Mar-2023 11:30:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Slight sulphur odour. No particles. Bailed 12L.	20.66
NF5	22-Mar-2023 14:38:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Dry. Tape stopped at approx. 28.17m.	
NF6	22-Mar-2023 14:36:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only. SWL double checked and confirmed.	18.1
NS3	8-Mar-2023 07:16:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	32.25
P1	22-Mar-2023 13:11:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	56.52
P2	1-Mar-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P3	1-Mar-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P4	1-Mar-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
PB2	22-Mar-2023 09:45:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL double checked and confirmed. Pump in bore. Not pumping, no sample collected.	26.87
R1	23-Mar-2023 09:01:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	43.04
R10	9-Mar-2023 13:20:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	18.93
R11	23-Mar-2023 11:56:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	54.05
R12	22-Mar-2023 15:37:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	25.53
R13	22-Mar-2023 15:27:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	39.52
R14	22-Mar-2023 14:47:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	17.23
R15A	22-Mar-2023 13:47:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	12.48
R16	23-Mar-2023 10:15:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	20.83

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
R17	22-Mar-2023 16:05:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	55.36
R18A	22-Mar-2023 14:02:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	16.1
R2	23-Mar-2023 12:45:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.83
R3	23-Mar-2023 11:19:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	30.71
R4	7-Mar-2023 15:17:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	33.27
R5	7-Mar-2023 12:37:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	12.93
R6	7-Mar-2023 12:14:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	27.96
R7A	23-Mar-2023 09:30:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	37.51
R7B	23-Mar-2023 09:35:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	59.74
R8	23-Mar-2023 10:50:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. 251 QAQCD03 Taken- No.	41.11
R9	9-Mar-2023 12:52:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	31.96
SA1	22-Mar-2023 10:08:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. Fine particles. Black particles. Insufficient water to pump. Bailed 6L.	6.84
SA2	22-Mar-2023 11:20:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Slight sulphur odour. Organic particles. Bailed 6L.	2.18
SA6	22-Mar-2023 11:09:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles.	1.69
SA7	22-Mar-2023 11:34:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Dry. Tape stopped at approx. 1.8m. No sample collected.	
SDB01A	22-Mar-2023 16:19:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	30.96
SDB03B	22-Mar-2023 15:50:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only. 251 QAQCD05 Taken- No.	24.91
SDB05A	8-Mar-2023 15:18:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	23.31
SDB05B	8-Mar-2023 15:08:00	GROUNDWATER - CODISPOSAL	Bailer. Cloudy sample. Clear colour. Organic odour. Fine particles. White particles. (Earthy odour). Insufficient water to pump, bailed 6L.	40.29
SDB06A	8-Mar-2023 13:05:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Bailer. Not turbid. Clear colour. Nil odour. No particles. Water insufficient to pump. Bailed 12L.	28.44
SDB06B	8-Mar-2023 13:11:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	36.66
SDB07A	8-Mar-2023 09:21:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	16.89
SDB07B	8-Mar-2023 10:00:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. (Earthy odour).	16.75
SDB08A	8-Mar-2023 10:53:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	23.3
SDB08B	8-Mar-2023 11:46:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Slight organic odour. No particles. (Earthy odour).	26.55
T1	20-Mar-2023 15:46:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL & EC double checked and confirmed.	22.63