

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
202	1-Sep-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
300-MB04	11-Sep-2023 13:04:00	GROUNDWATER - BASAL SAND	SWL only.	56.36
300-MB11	11-Sep-2023 13:09:00	GROUNDWATER - BASAL SAND	SWL only.	53.03
300-MB36	11-Sep-2023 12:50:00	GROUNDWATER - BASAL SAND	SWL only.	51.31
301N	1-Sep-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3028D	11-Sep-2023 15:10:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	27.42
303	1-Sep-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3045D	11-Sep-2023 13:46:00	GROUNDWATER - BASAL SAND	SWL only.	17.01
3067R	7-Sep-2023 13:51:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	5.64
3069R	7-Sep-2023 12:52:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.4
3072R	7-Sep-2023 14:43:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	6.25
62641	8-Sep-2023 08:01:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	12.2
CD01	6-Sep-2023 08:02:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. Double checked EC.	19.44
CD03	6-Sep-2023 09:54:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	29.3
CD04	6-Sep-2023 10:44:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	31.14
CD05	6-Sep-2023 12:35:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	22.7
CD06	7-Sep-2023 15:48:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Sulphur odour. No particles.	13.39
KS1D	11-Sep-2023 12:43:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Dry. Tape stopped at approx. 27.53m.	
KS1F	11-Sep-2023 12:46:00	GROUNDWATER - BASAL SAND, Bore - Tertiary Basal Sand	SWL only.	44.81
KS2A	11-Sep-2023 12:25:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL only.	16.67
KS2B	11-Sep-2023 12:30:00	GROUNDWATER - CODISPOSAL	Bore bent. No sample collected. SWL only.	65.55
KS4A	12-Sep-2023 09:21:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	161.8
MB1 RDH1357	12-Sep-2023 15:56:00	GROUNDWATER - PERMIAN	SWL only.	38.18
MB2 RDH1338	12-Sep-2023 15:23:00	GROUNDWATER - PERMIAN	SWL only.	47.49
MB3 RDH1097	12-Sep-2023 14:57:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	37.94
MB4 RDH1336	12-Sep-2023 13:02:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	21.52
MB5 DDH435	12-Sep-2023 11:25:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	60.64
MB6 RDH1015	1-Sep-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
MB7 RDH1304	1-Sep-2023 00:02:00	GROUNDWATER - PERMIAN	Not Scheduled.	
MB8 RDH1009	12-Sep-2023 11:40:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only. SWL double checked and confirmed.	15.66
NB1	6-Sep-2023 11:35:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	21.14
NB2	5-Sep-2023 09:40:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD01 Taken- Yes.	16.6
NB5	8-Sep-2023 10:05:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Bore blocked at approx. 1.2m. No sample collected. SWL only.	6.13
NF1A	6-Sep-2023 15:49:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	14.11
NF1B	6-Sep-2023 14:56:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD02 Taken- Yes.	18.94
NF2a	6-Sep-2023 13:51:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	21.93
NF3b	6-Sep-2023 13:25:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 12L.	20.66
NF5	11-Sep-2023 14:55:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	27.69
NF6	11-Sep-2023 14:48:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	19.91
NS3	5-Sep-2023 08:55:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	31.86
P1	11-Sep-2023 12:40:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	56.99
P2	1-Sep-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P3	1-Sep-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P4	1-Sep-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
PB2	6-Sep-2023 10:30:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Pump in bore. Not pumping. No sample collected. SWL only.	28.97
R1	12-Sep-2023 10:52:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	43.61
R10	7-Sep-2023 09:33:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	18.92
R11	7-Sep-2023 11:20:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	54.25
R12	11-Sep-2023 16:07:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	25.5
R13	11-Sep-2023 15:58:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	39.62
R14	11-Sep-2023 15:37:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	18.53
R15A	11-Sep-2023 14:06:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	12.14
R16	12-Sep-2023 11:54:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	20.83
R17	11-Sep-2023 16:46:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	55.59
R18A	11-Sep-2023 14:28:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	16.03
R2	12-Sep-2023 12:49:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.87

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
R3	12-Sep-2023 14:10:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	30.85
R4	7-Sep-2023 10:54:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	33.46
R5	7-Sep-2023 08:09:00	GROUNDWATER - BASALT, Bore - Basalt East	Not Scheduled.	13.33
R6	7-Sep-2023 07:40:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	28
R7A	7-Sep-2023 09:53:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	37.55
R7B	7-Sep-2023 09:49:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	59.8
R8	12-Sep-2023 13:22:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. 251 QAQCD03 Taken- No.SWL double checked and confirmed.	41.08
R9	12-Sep-2023 13:39:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	31.85
SA1	8-Sep-2023 10:15:00	GROUNDWATER - CODISPOSAL	Insufficient water to pump or bail. SWL only.	7.98
SA2	7-Sep-2023 12:34:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. Organic particles. Bailed 6L.	3.73
SA6	7-Sep-2023 11:25:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 6L.	2.16
SA7	7-Sep-2023 11:44:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Dry. Tape stopped at approx. 1.8m. No sample collected.	
SDB01A	12-Sep-2023 15:11:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	30.98
SDB03B	11-Sep-2023 16:25:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only. 251 QAQCD05 Taken- No.	25.04
SDB05A	8-Sep-2023 08:11:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	24.65
SDB05B	8-Sep-2023 08:46:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Organic odour. No particles. (Earthy odour). Insufficient water to pump. Bailed 6L.	39.17
SDB06A	5-Sep-2023 16:04:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Bailer. Not turbid. Clear colour. Organic odour. Fine particles. White particles. (Earthy odour). Insufficient water to pump. Bailed 12L.	28.38
SDB06B	5-Sep-2023 15:22:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	36.28
SDB07A	5-Sep-2023 10:52:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	17.3
SDB07B	5-Sep-2023 11:39:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. (Earthy odour).	17.16
SDB08A	5-Sep-2023 13:13:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	25.79
SDB08B	5-Sep-2023 14:03:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. (Earthy odour).	27.88
T1	6-Sep-2023 09:10:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. EC double checked and confirmed.	24.77