

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
202	1-Oct-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
300-MB04	18-Oct-2023 14:36:00	GROUNDWATER - BASAL SAND	SWL only.	56.3
300-MB11	18-Oct-2023 14:27:00	GROUNDWATER - BASAL SAND	SWL only.	52.97
300-MB36	18-Oct-2023 14:14:00	GROUNDWATER - BASAL SAND	SWL only.	51.27
301N	1-Oct-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3028D	1-Oct-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not Scheduled.	
303	1-Oct-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3045D	19-Oct-2023 07:25:00	GROUNDWATER - BASAL SAND	SWL only.	17.29
3067R	18-Oct-2023 10:07:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	6.04
3069R	18-Oct-2023 10:46:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.4
3072R	18-Oct-2023 09:05:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	6.49
62641	17-Oct-2023 08:17:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	Dry. Tape stopped at 12.29m. Something blocking bore. Three attempts. Foul smell on probe.	
CD01	16-Oct-2023 14:24:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	19.71
CD03	16-Oct-2023 13:41:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	29.76
CD04	16-Oct-2023 11:46:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	31.15
CD05	16-Oct-2023 10:41:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	23.23
CD06	17-Oct-2023 10:12:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Slight sulphur odour. No particles.	13.75
KS1D	1-Oct-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
KS1F	18-Oct-2023 14:09:00	GROUNDWATER - BASAL SAND, Bore - Tertiary Basal Sand	SWL only.	44.88
KS2A	18-Oct-2023 13:38:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL only.	16.66
KS2B	18-Oct-2023 13:43:00	GROUNDWATER - CODISPOSAL	SWL only. Bore bent. No sample collected.	65.53
KS4A	1-Oct-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
MB1 RDH1357	1-Oct-2023 00:02:00	GROUNDWATER - PERMIAN	Not Scheduled.	
MB2 RDH1338	1-Oct-2023 00:02:00	GROUNDWATER - PERMIAN	Not Scheduled.	
MB3 RDH1097	19-Oct-2023 09:27:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	37.97
MB4 RDH1336	19-Oct-2023 09:55:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	21.52
MB5 DDH435	19-Oct-2023 15:34:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	60.58
MB6 RDH1015	19-Oct-2023 09:37:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	37.69
MB7 RDH1304	20-Oct-2023 06:21:00	GROUNDWATER - PERMIAN	SWL only.	64.15
MB8 RDH1009	19-Oct-2023 15:52:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	15.78
NB1	16-Oct-2023 11:13:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	21.6
NB2	3-Oct-2023 12:52:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD01 Taken- Yes.	16.75
NB5	18-Oct-2023 13:11:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL only. Insufficient water to obtain a sample. Access needs improvement.	6.41
NF1A	17-Oct-2023 07:37:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	14.26
NF1B	17-Oct-2023 06:48:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD02 Taken- Yes.	19.04
NF2a	16-Oct-2023 09:19:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	22.27
NF3b	16-Oct-2023 10:02:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Slightly turbid. Light brown colour. Nil odour. No particles. Note change in pH.	20.68
NF5	19-Oct-2023 06:42:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	27.22
NF6	19-Oct-2023 07:35:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	21.46
NS3	3-Oct-2023 13:43:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. Collected an extra litre to confirm EC.	31.77
P1	18-Oct-2023 14:01:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	57.2
P2	16-Oct-2023 12:31:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	44.49
P3	18-Oct-2023 06:59:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	172.68
P4	18-Oct-2023 07:17:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only. Lower than 150m tape.	135.92
PB2	16-Oct-2023 12:47:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL only. Pump not operating at time of visit - no sample taken.	29.43
R1	4-Oct-2023 07:44:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	43.66
R10	4-Oct-2023 09:02:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	18.86
R11	19-Oct-2023 09:40:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	54.58
R12	19-Oct-2023 08:20:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	25.51
R13	1-Oct-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not Scheduled.	
R14	19-Oct-2023 08:03:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	18.88
R15A	19-Oct-2023 07:16:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	12.09
R16	20-Oct-2023 06:15:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	20.85
R17	1-Oct-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not Scheduled.	
R18A	19-Oct-2023 07:07:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only. Access track needs slashing.	16.06
R2	19-Oct-2023 15:12:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.84

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
R3	19-Oct-2023 13:40:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	30.88
R4	3-Oct-2023 15:56:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	33.47
R5	3-Oct-2023 12:15:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	13.33
R6	3-Oct-2023 11:50:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	28.04
R7A	4-Oct-2023 08:39:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	37.55
R7B	4-Oct-2023 08:43:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	59.78
R8	19-Oct-2023 14:38:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. 251 QAQCD03 Taken- No.	42.06
R9	19-Oct-2023 13:12:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	32.76
SA1	18-Oct-2023 13:10:00	GROUNDWATER - CODISPOSAL	SWL only. Insufficient water to obtain a representative sample. Access needs improvement.	8.32
SA2	18-Oct-2023 08:26:00	GROUNDWATER - CODISPOSAL	Dry. Tape stopped at 4.73m.	
SA6	18-Oct-2023 08:41:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 6Lt.	2.32
SA7	18-Oct-2023 08:15:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Dry. Tape stopped at approx. 1.8m. No sample collected.	
SDB01A	19-Oct-2023 09:03:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	30.99
SDB03B	19-Oct-2023 08:37:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only. 251 QAQCD05 Taken- No.	25.07
SDB05A	17-Oct-2023 08:32:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL checked and confirmed.	25.03
SDB05B	17-Oct-2023 09:09:00	GROUNDWATER - CODISPOSAL	Bailer. Cloudy sample. Grey colour. Organic odour. Fine particles. White particles. Repeated bailing to confirm EC.	38.81
SDB06A	3-Oct-2023 14:57:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	28.41
SDB06B	17-Oct-2023 15:42:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	36.24
SDB07A	17-Oct-2023 15:02:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. Extra volume pumped to confirm readings.	17.45
SDB07B	17-Oct-2023 13:23:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Slight sulphur odour. No particles. pH meter checked against standards in field and confirmed correct.	17.24
SDB08A	17-Oct-2023 11:28:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	26.28
SDB08B	17-Oct-2023 12:16:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles.	28.03
T1	16-Oct-2023 12:55:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. Extra volume pumped to confirm EC.	25.22