

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
202	1-Dec-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
300-MB04	21-Dec-2023 09:54:00	GROUNDWATER - BASAL SAND	SWL only.	56.26
300-MB11	21-Dec-2023 10:01:00	GROUNDWATER - BASAL SAND	SWL only.	52.88
300-MB36	8-Dec-2023 10:43:00	GROUNDWATER - BASAL SAND	SWL only.	51.18
301N	1-Dec-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3028D	8-Dec-2023 12:29:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	28.14
303	4-Dec-2023 13:37:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only. Requested by Ben Westerberg.	114.78
3045D	8-Dec-2023 11:40:00	GROUNDWATER - BASAL SAND	SWL only.	20.18
3067R	15-Dec-2023 09:16:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	5.21
3069R	15-Dec-2023 09:58:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.31
3072R	15-Dec-2023 10:38:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	6.3
62641	19-Dec-2023 12:01:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only. Foul dead smell from bore.	12.59
CD01	12-Dec-2023 16:21:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	19.99
CD03	12-Dec-2023 15:24:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	30.11
CD04	12-Dec-2023 13:37:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	31.2
CD05	19-Dec-2023 08:13:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	23.65
CD06	5-Dec-2023 10:21:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	14.18
KS1D	1-Dec-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
KS1F	8-Dec-2023 10:49:00	GROUNDWATER - BASAL SAND, Bore - Tertiary Basal Sand	SWL only.	44.9
KS2A	8-Dec-2023 10:01:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL only.	16.68
KS2B	8-Dec-2023 09:59:00	GROUNDWATER - CODISPOSAL	Bore bent. No sample collected. SWL only.	65.53
KS4A	21-Dec-2023 12:29:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	161.85
MB1 RDH1357	20-Dec-2023 13:11:00	GROUNDWATER - PERMIAN	SWL only.	38.21
MB2 RDH1338	20-Dec-2023 12:51:00	GROUNDWATER - PERMIAN	SWL only.	47.48
MB3 RDH1097	20-Dec-2023 12:23:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	37.92
MB4 RDH1336	5-Dec-2023 12:29:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	21.51
MB5 DDH435	5-Dec-2023 12:47:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	60.58
MB6 RDH1015	20-Dec-2023 12:14:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	37.66
MB7 RDH1304	20-Dec-2023 13:55:00	GROUNDWATER - PERMIAN	SWL only.	64.16
MB8 RDH1009	1-Dec-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
NB1	12-Dec-2023 12:41:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	21.99
NB2	4-Dec-2023 15:19:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD01 Taken- Yes.	17.2
NB5	20-Dec-2023 08:20:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Bore blocked at approx. 1.2m. No sample collected, SWL only.	6.68
NF1A	19-Dec-2023 10:28:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	14.41
NF1B	19-Dec-2023 11:13:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD02 Taken- Yes.	19.51
NF2a	19-Dec-2023 09:23:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	22.67
NF3b	19-Dec-2023 09:02:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 12L.	20.71
NF5	8-Dec-2023 11:17:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	26.7
NF6	8-Dec-2023 11:27:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	20.82
NS3	4-Dec-2023 14:36:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	31.74
P1	8-Dec-2023 10:24:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	57.4
P2	12-Dec-2023 14:14:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	44.92
P3	20-Dec-2023 09:22:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	172.61
P4	20-Dec-2023 09:07:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	135.11
PB2	12-Dec-2023 14:28:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Pump in bore. Not operating at time of collection. SWL only, no sample collected.	29.81
R1	20-Dec-2023 10:16:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	43.35
R10	5-Dec-2023 11:46:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	18.86
R11	21-Dec-2023 12:42:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	54.3
R12	8-Dec-2023 12:51:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	25.49
R13	1-Dec-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not Scheduled.	
R14	14-Dec-2023 09:15:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	19.3
R15A	8-Dec-2023 11:52:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	12.05
R16	20-Dec-2023 13:45:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	20.86
R17	1-Dec-2023 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not Scheduled.	
R18A	8-Dec-2023 12:01:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	16.06
R2	21-Dec-2023 12:55:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.91

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
R3	20-Dec-2023 11:43:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	30.8
R4	5-Dec-2023 11:13:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	33.44
R5	5-Dec-2023 07:38:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	13.46
R6	5-Dec-2023 07:17:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	28
R7A	5-Dec-2023 13:31:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	37.48
R7B	5-Dec-2023 13:23:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	59.7
R8	20-Dec-2023 10:51:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. 251 QAQCD03 Taken- No.	42.8
R9	20-Dec-2023 11:05:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	31.7
SA1	20-Dec-2023 08:26:00	GROUNDWATER - CODISPOSAL	Dry. Tape stopped at 8.50m. No sample collected.	
SA2	19-Dec-2023 16:31:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. Organic particles. Bailed 6L.	2.78
SA6	19-Dec-2023 16:19:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 6L.	2.03
SA7	19-Dec-2023 16:49:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Dry. Tape stopped at approx. 1.8m. No sample collected.	
SDB01A	20-Dec-2023 12:35:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	30.93
SDB03B	8-Dec-2023 13:07:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only. 251 QAQCD05 Taken- No.	25.06
SDB05A	19-Dec-2023 12:40:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	25.44
SDB05B	19-Dec-2023 12:29:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Organic odour. Fine particles. White particles. (Earthy odour). Insufficient water to pump. Bailed12L.	38.5
SDB06A	5-Dec-2023 13:11:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Bailer. Not turbid. Clear colour. Organic odour. No particles. Bailed 12L. (Earthy odour).	28.63
SDB06B	5-Dec-2023 13:19:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	36.2
SDB07A	5-Dec-2023 11:30:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	17.53
SDB07B	5-Dec-2023 12:09:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. (Earthy odour).	17.39
SDB08A	19-Dec-2023 13:49:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	26.69
SDB08B	19-Dec-2023 14:46:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. (Earthy odour).	28.02
T1	12-Dec-2023 14:34:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	25.61