

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
202	1-Jan-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
300-MB04	17-Jan-2024 13:25:00	GROUNDWATER - BASAL SAND	SWL only.	56.14
300-MB11	17-Jan-2024 13:12:00	GROUNDWATER - BASAL SAND	SWL only.	52.8
300-MB36	5-Jan-2024 10:50:00	GROUNDWATER - BASAL SAND	SWL only.	51.18
301N	1-Jan-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3028D	5-Jan-2024 13:21:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	28.47
303	1-Jan-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3045D	5-Jan-2024 12:19:00	GROUNDWATER - BASAL SAND	SWL only.	20.46
3067R	11-Jan-2024 14:48:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	3.63
3069R	11-Jan-2024 14:04:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.3
3072R	11-Jan-2024 15:32:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	6
62641	11-Jan-2024 13:44:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	12.3
CD01	10-Jan-2024 09:20:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	19.65
CD03	10-Jan-2024 10:32:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	29.55
CD04	10-Jan-2024 11:48:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	30.98
CD05	10-Jan-2024 13:30:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	22.95
CD06	11-Jan-2024 07:55:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	13.15
KS1D	5-Jan-2024 11:03:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Dry. Tape stopped at approx. 27.55m.	
KS1F	5-Jan-2024 11:01:00	GROUNDWATER - BASAL SAND, Bore - Tertiary Basal Sand	SWL only.	44.93
KS2A	5-Jan-2024 10:10:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL only.	16.68
KS2B	5-Jan-2024 10:06:00	GROUNDWATER - CODISPOSAL	Bore bent. No sample collected. SWL only.	65.5
KS4A	19-Jan-2024 13:36:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	161.71
MB1 RDH1357	19-Jan-2024 14:41:00	GROUNDWATER - PERMIAN	SWL only.	38.19
MB2 RDH1338	17-Jan-2024 15:35:00	GROUNDWATER - PERMIAN	SWL only.	47.35
MB3 RDH1097	17-Jan-2024 16:24:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	37.94
MB4 RDH1336	5-Jan-2024 08:52:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	21.49
MB5 DDH435	5-Jan-2024 09:05:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	60.55
MB6 RDH1015	1-Jan-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
MB7 RDH1304	1-Jan-2024 00:02:00	GROUNDWATER - PERMIAN	Not Scheduled.	
MB8 RDH1009	18-Jan-2024 15:38:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	16.22
NB1	10-Jan-2024 12:37:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	21.39
NB2	9-Jan-2024 12:14:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD01 Taken- Yes.	16.91
NB5	17-Jan-2024 12:14:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Bore blocked at approx. 1.2m. No sample collected. SWL only.	6.74
NF1A	11-Jan-2024 12:54:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	14.44
NF1B	11-Jan-2024 12:01:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD02 Taken- Yes.	19.59
NF2a	12-Jan-2024 08:18:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	22.87
NF3b	12-Jan-2024 07:50:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 12L.	20.72
NF5	5-Jan-2024 11:56:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	26.53
NF6	5-Jan-2024 12:08:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	20.85
NS3	9-Jan-2024 11:27:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	31.74
P1	5-Jan-2024 10:23:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	57.55
P2	1-Jan-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P3	1-Jan-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P4	1-Jan-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
PB2	10-Jan-2024 14:20:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Pump in bore. Not operating at time of collection. SWL only, no sample collected	29.22
R1	18-Jan-2024 15:00:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	43.15
R10	5-Jan-2024 08:41:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	18.8
R11	5-Jan-2024 08:11:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	54.3
R12	17-Jan-2024 14:44:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	25.51
R13	17-Jan-2024 14:53:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	39.91
R14	12-Jan-2024 10:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	19.56
R15A	5-Jan-2024 12:38:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	12.02
R16	17-Jan-2024 13:59:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	20.87
R17	17-Jan-2024 15:16:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	55.72
R18A	5-Jan-2024 12:49:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	16.07
R2	19-Jan-2024 06:59:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.89

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
R3	19-Jan-2024 08:12:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	30.82
R4	5-Jan-2024 07:51:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	33.43
R5	4-Jan-2024 09:19:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	13.4
R6	4-Jan-2024 09:03:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	27.96
R7A	5-Jan-2024 09:31:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	37.91
R7B	5-Jan-2024 09:22:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	59.78
R8	19-Jan-2024 07:26:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. 251 QAQCD03 Taken- No.	42.79
R9	19-Jan-2024 08:50:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	31.58
SA1	17-Jan-2024 12:11:00	GROUNDWATER - CODISPOSAL	SWL only. Insufficient water to sample. No sample collected. SWL only.	8.08
SA2	11-Jan-2024 16:10:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. Organic particles. Bailed 6L. EC double checked and confirmed.	1.68
SA6	11-Jan-2024 16:24:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 6L.	1.43
SA7	18-Jan-2024 08:41:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Dry. Tape stopped at approx. 1.8m. No sample collected.	
SDB01A	17-Jan-2024 15:27:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	30.84
SDB03B	17-Jan-2024 14:22:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only. 251 QAQCD05 Taken- No.	25.01
SDB05A	11-Jan-2024 11:04:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	25.6
SDB05B	11-Jan-2024 10:40:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Organic odour. No particles. Bailed 12L. (Earthy odour).	38.5
SDB06A	11-Jan-2024 08:58:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Bailer. Not turbid. Clear colour. Organic odour. No particles. Bailed 12L. (Earthy odour).	28.72
SDB06B	11-Jan-2024 09:13:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	36.18
SDB07A	9-Jan-2024 13:06:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	17.57
SDB07B	9-Jan-2024 13:42:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. (Organic odour).	17.43
SDB08A	9-Jan-2024 14:47:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	26.35
SDB08B	9-Jan-2024 15:35:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. (Earthy odour).	28.22
T1	10-Jan-2024 14:28:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. EC double checked and confirmed.	25.01