

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
202	1-Mar-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
300-MB04	6-Mar-2024 13:44:00	GROUNDWATER - BASAL SAND	SWL only.	56.19
300-MB11	6-Mar-2024 13:31:00	GROUNDWATER - BASAL SAND	SWL only.	52.81
300-MB36	6-Mar-2024 12:58:00	GROUNDWATER - BASAL SAND	SWL only.	51.14
301N	1-Mar-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3028D	1-Mar-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not Scheduled.	
303	1-Mar-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3045D	19-Mar-2024 11:10:00	GROUNDWATER - BASAL SAND	SWL only.	21.09
3067R	18-Mar-2024 14:48:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	4.22
3069R	18-Mar-2024 14:09:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.23
3072R	18-Mar-2024 15:24:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	6.04
62641	7-Mar-2024 11:48:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	12.55
CD01	14-Mar-2024 10:47:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	19.26
CD03	14-Mar-2024 10:04:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	28.18
CD04	7-Mar-2024 14:56:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	30.84
CD05	7-Mar-2024 13:32:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	21.65
CD06	18-Mar-2024 11:27:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	12.84
KS1D	6-Mar-2024 13:13:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Dry. Tape stopped at 27.48m.	
KS1F	6-Mar-2024 13:08:00	GROUNDWATER - BASAL SAND, Bore - Tertiary Basal Sand	SWL only.	45.11
KS2A	6-Mar-2024 12:26:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL only.	16.68
KS2B	6-Mar-2024 12:31:00	GROUNDWATER - CODISPOSAL	SWL only.	65.54
KS4A	1-Mar-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
MB1 RDH1357	1-Mar-2024 00:02:00	GROUNDWATER - PERMIAN	Not Scheduled.	
MB2 RDH1338	1-Mar-2024 00:02:00	GROUNDWATER - PERMIAN	Not Scheduled.	
MB3 RDH1097	22-Mar-2024 10:54:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.05
MB4 RDH1336	6-Mar-2024 11:11:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	21.52
MB5 DDH435	6-Mar-2024 11:22:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	60.63
MB6 RDH1015	22-Mar-2024 10:43:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	37.77
MB7 RDH1304	11-Mar-2024 12:59:00	GROUNDWATER - PERMIAN	SWL only.	64.26
MB8 RDH1009	22-Mar-2024 11:28:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	16.48
NB1	7-Mar-2024 14:13:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	20.05
NB2	14-Mar-2024 12:39:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD01 Taken- Yes. SWL and EC double checked and confirmed.	15.9
NB5	19-Mar-2024 09:20:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Bore blocked at approx. 1.2m. No sample collected. SWL only.	5.84
NF1A	7-Mar-2024 09:47:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	14.6
NF1B	7-Mar-2024 10:47:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD02 Taken- Yes.	19.81
NF2a	7-Mar-2024 12:17:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	23.01
NF3b	7-Mar-2024 13:17:00	GROUNDWATER - CODISPOSAL	Bailer. Turbid. Light brown/white colour. Nil odour. Fine particles. White particles. Bailed 12L. Kestrel notified of the change in colour.	20.7
NF5	6-Mar-2024 14:16:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	26.25
NF6	6-Mar-2024 14:30:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	21.21
NS3	14-Mar-2024 11:46:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	31.66
P1	6-Mar-2024 12:45:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	57.63
P2	1-Mar-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P3	1-Mar-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P4	1-Mar-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
PB2	19-Mar-2024 08:57:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Pump in bore. Not operating, SWL only. No sample collected.	27.92
R1	19-Mar-2024 15:43:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	43.27
R10	5-Mar-2024 14:24:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	18.74
R11	6-Mar-2024 10:36:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	54.47
R12	19-Mar-2024 12:51:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	25.58
R13	19-Mar-2024 12:42:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	40.14
R14	22-Mar-2024 07:15:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. SWL double checked and confirmed.	20.61
R15A	19-Mar-2024 11:22:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	12.05
R16	11-Mar-2024 11:03:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	20.88

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
R17	22-Mar-2024 09:48:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	55.83
R18A	19-Mar-2024 11:36:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	16.15
R2	22-Mar-2024 11:16:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.93
R3	12-Mar-2024 13:35:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	30.94
R4	5-Mar-2024 14:13:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	33.53
R5	5-Mar-2024 11:36:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	13.31
R6	5-Mar-2024 11:15:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	27.92
R7A	6-Mar-2024 11:42:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	37.91
R7B	6-Mar-2024 11:46:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	59.78
R8	19-Mar-2024 14:56:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. 251_QAQCD03 Taken- No. SWL double checked and confirmed.	37.38
R9	19-Mar-2024 14:30:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	31.62
SA1	19-Mar-2024 09:17:00	GROUNDWATER - CODISPOSAL	Insufficient water to pump or bail. SWL only.	7.75
SA2	18-Mar-2024 16:08:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. Organic particles. Bailed 6L.	2.34
SA6	12-Mar-2024 09:32:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 10L.	1.66
SA7	18-Mar-2024 16:14:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Dry. Tape stopped at approx. 1.8m. No sample collected.	
SDB01A	22-Mar-2024 10:03:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	30.99
SDB03B	12-Mar-2024 10:53:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only. 251_QAQCD05 Taken- No.	25.15
SDB05A	18-Mar-2024 12:48:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	25.88
SDB05B	18-Mar-2024 12:35:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Organic odour. Fine particles. White particles. (Earthy odour). EC double checked and confirmed. Bailed 12L.	38.43
SDB06A	13-Mar-2024 14:49:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. Bailed 12L. (Earthy odour).	28.73
SDB06B	13-Mar-2024 14:59:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	36.08
SDB07A	13-Mar-2024 12:51:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	17.55
SDB07B	13-Mar-2024 13:26:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	17.4
SDB08A	14-Mar-2024 13:39:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	24.86
SDB08B	14-Mar-2024 14:25:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. (Earthy odour). SWL double checked and confirmed.	27.44
T1	14-Mar-2024 09:15:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	23.67