

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
202	8-Nov-2024 11:15:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only. SWL double checked and confirmed.	112.02
300-MB04	19-Nov-2024 12:46:00	GROUNDWATER - BASAL SAND	SWL only.	56.03
300-MB11	19-Nov-2024 12:39:00	GROUNDWATER - BASAL SAND	SWL only.	52.59
300-MB36	19-Nov-2024 12:29:00	GROUNDWATER - BASAL SAND	SWL only.	50.96
301N	27-Nov-2024 10:35:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	No access for dipper tape. No SWL obtained.	
3028D	1-Nov-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not Scheduled.	
303	27-Nov-2024 10:45:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only. Ontoto logger updated.	104.79
3045D	19-Nov-2024 08:56:00	GROUNDWATER - BASAL SAND	SWL only.	22.82
3067R	4-Nov-2024 14:35:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. EC double checked and confirmed.	5.21
3069R	4-Nov-2024 13:45:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.18
3072R	4-Nov-2024 15:36:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	6.69
62641	7-Nov-2024 13:29:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only. SWL double checked and verified.	12.86
CD01	5-Nov-2024 08:33:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	19.73
CD03	5-Nov-2024 09:42:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	28.82
CD04	5-Nov-2024 12:51:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	30.68
CD05	5-Nov-2024 14:40:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	22.24
CD06	6-Nov-2024 08:22:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. SWL double checked and confirmed.	14.02
KS1D	19-Nov-2024 12:24:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Dry. Tape stopped at approx. 27.50m.	
KS1F	19-Nov-2024 12:27:00	GROUNDWATER - BASAL SAND, Bore - Tertiary Basal Sand	SWL only.	45.46
KS2A	27-Nov-2024 14:48:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL only.	16.66
KS2B	27-Nov-2024 14:55:00	GROUNDWATER - CODISPOSAL	Dry. Tape stopped at 65.26m. No sample collected. Level double checked and confirmed.	
KS4A	1-Nov-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
MB1 RDH1357	1-Nov-2024 00:02:00	GROUNDWATER - PERMIAN	Not Scheduled.	
MB2 RDH1338	1-Nov-2024 00:02:00	GROUNDWATER - PERMIAN	Not Scheduled.	
MB3 RDH1097	13-Nov-2024 13:47:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.16
MB4 RDH1336	13-Nov-2024 13:40:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	21.55
MB5 DDH435	13-Nov-2024 09:49:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	60.81
MB6 RDH1015	1-Nov-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
MB7 RDH1304	1-Nov-2024 00:02:00	GROUNDWATER - PERMIAN	Not Scheduled.	
MB8 RDH1009	27-Nov-2024 15:29:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	29.93
NB1	5-Nov-2024 14:00:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Slightly turbid. Clear colour. Nil odour. No particles.	20.62
NB2	5-Nov-2024 15:34:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD01 Taken- Yes.	17.26
NB5	27-Nov-2024 14:34:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Bore blocked at approx. 1.2m. SWL only, no sample collected.	6.41
NF1A	7-Nov-2024 10:45:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.16
NF1B	7-Nov-2024 11:55:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD02 Taken- Yes.	20.51
NF2a	7-Nov-2024 09:04:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	23.43
NF3b	7-Nov-2024 07:58:00	GROUNDWATER - CODISPOSAL	Bailer. Slightly turbid. Light brown colour. Slight sulphur odour. Fine particles. White particles. Bailed 12L, EC double checked and confirmed.	20.78
NF5	19-Nov-2024 09:59:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	26.09
NF6	19-Nov-2024 09:53:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	22.82
NS3	6-Nov-2024 09:30:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	31.63
P1	19-Nov-2024 12:18:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	57.80
P2	1-Nov-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P3	1-Nov-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P4	1-Nov-2024 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
PB2	5-Nov-2024 12:09:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Pump in bore. SWL only, no sample collected.	28.47
R1	13-Nov-2024 08:35:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	43.41
R10	13-Nov-2024 10:44:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	18.49
R11	13-Nov-2024 11:41:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	54.78
R12	13-Nov-2024 15:05:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	25.55

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
R13	13-Nov-2024 15:14:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	40.20
R14	12-Nov-2024 13:28:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. SWL double checked and verified.	23.24
R15A	19-Nov-2024 08:39:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	12.03
R16	13-Nov-2024 07:42:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	20.95
R17	13-Nov-2024 14:25:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	56.21
R18A	19-Nov-2024 08:31:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	16.39
R2	13-Nov-2024 10:10:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.95
R3	19-Nov-2024 14:02:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	31.00
R4	13-Nov-2024 11:22:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	33.76
R5	11-Nov-2024 09:21:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	13.59
R6	11-Nov-2024 09:04:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	27.98
R7A	13-Nov-2024 09:27:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	37.58
R7B	13-Nov-2024 09:27:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	59.73
R8	5-Nov-2024 13:32:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. 251_QAQCD03 Taken- No.	40.66
R9	13-Nov-2024 06:00:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Access restricted. Site access not authorised. Notified by Kestrel 18.07.2024.	
SA1	27-Nov-2024 14:35:00	GROUNDWATER - CODISPOSAL	Insufficient water to pump or bail. No sample collected.	8.31
SA2	8-Nov-2024 08:19:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. Organic particles. SWL double checked and confirmed.	3.31
SA6	8-Nov-2024 07:41:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 6L.	2.11
SA7	19-Nov-2024 11:58:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Dry. Tape stopped at approx. 1.80m. No sample collected.	
SDB01A	13-Nov-2024 14:03:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	30.87
SDB03B	13-Nov-2024 14:50:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only. 251_QAQCD05 Taken- No.	25.24
SDB05A	7-Nov-2024 13:45:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	26.54
SDB05B	7-Nov-2024 15:12:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Organic odour. Fine particles. White particles. Earthy smell.	40.63
SDB06A	6-Nov-2024 14:45:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Bailer. Not turbid. Clear colour. Slight organic odour. No particles. (Earthy odour). Insufficient water to pump. Bailed 12L than sampled.	28.92
SDB06B	6-Nov-2024 14:58:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	36.15
SDB07A	6-Nov-2024 11:03:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	18.15
SDB07B	6-Nov-2024 11:49:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. (Earthy odour).	17.99
SDB08A	6-Nov-2024 12:54:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	25.33
SDB08B	6-Nov-2024 13:43:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Organic odour. No particles. (Earthy odour).	27.83
T1	5-Nov-2024 11:14:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	24.28