

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
202	1-Jan-2025 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
300-MB04	23-Jan-2025 13:58:00	GROUNDWATER - BASAL SAND	SWL only.	55.94
300-MB11	23-Jan-2025 14:08:00	GROUNDWATER - BASAL SAND	SWL only.	52.47
300-MB36	23-Jan-2025 13:28:00	GROUNDWATER - BASAL SAND	SWL only.	50.86
301N	1-Jan-2025 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3028D	23-Jan-2025 10:19:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. SWL double checked and verified.	41.63
303	1-Jan-2025 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
3045D	23-Jan-2025 10:45:00	GROUNDWATER - BASAL SAND	SWL only.	23.15
3067R	23-Jan-2025 12:55:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. Organic particles. EC double checked and confirmed.	4.13
3069R	23-Jan-2025 11:46:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	15.13
3072R	23-Jan-2025 13:45:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	6.62
62641	28-Jan-2025 09:39:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	12.96
CD01	28-Jan-2025 14:49:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	19.81
CD03	29-Jan-2025 14:37:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	29.17
CD04	29-Jan-2025 10:52:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. Fine particles. White particles.	30.42
CD05	29-Jan-2025 13:34:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	22.65
CD06	23-Jan-2025 10:18:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	14.37
KS1D	23-Jan-2025 13:32:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Dry. Tape stopped at approx 27.8m	
KS1F	23-Jan-2025 13:36:00	GROUNDWATER - BASAL SAND, Bore - Tertiary Basal Sand	Dry. Tape stopped at approx 48m. Mud at bottom.	
KS2A	22-Jan-2025 15:16:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	SWL only.	16.65
KS2B	22-Jan-2025 15:19:00	GROUNDWATER - CODISPOSAL	Dry. Tape stopped at 66.50m.	
KS4A	23-Jan-2025 11:55:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Bore blocked at approx 119.98m.	
MB1 RDH1357	30-Jan-2025 14:27:00	GROUNDWATER - PERMIAN	SWL only.	39.19
MB2 RDH1338	30-Jan-2025 13:29:00	GROUNDWATER - PERMIAN	SWL only.	47.65
MB3 RDH1097	21-Jan-2025 15:57:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.18
MB4 RDH1336	21-Jan-2025 15:40:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	21.55
MB5 DDH435	21-Jan-2025 13:36:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	60.81
MB6 RDH1015	1-Jan-2025 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
MB7 RDH1304	22-Jan-2025 14:07:00	GROUNDWATER - PERMIAN	SWL only.	64.4
MB8 RDH1009	30-Jan-2025 12:45:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	30.09
NB1	29-Jan-2025 12:27:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	21.06
NB2	14-Jan-2025 10:43:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD01 Taken- Yes.	17.52
NB5	30-Jan-2025 10:11:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Bore Blocked at approx 1.2m. SWL taken, no sample collected.	6.5
NF1A	28-Jan-2025 09:45:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil Odour. No particles. EC recalibrated at litre 7.	15.32
NF1B	28-Jan-2025 10:51:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. 251_QAQCD02 Taken- Yes.	20.79
NF2a	28-Jan-2025 12:27:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	23.55
NF3b	28-Jan-2025 13:44:00	GROUNDWATER - CODISPOSAL	Bailer. Slightly turbid. Light brown colour. Nil odour. Fine particles. White particles. Bailed 12L. Sampled at 12L.	20.75
NF5	23-Jan-2025 10:26:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	26.09
NF6	23-Jan-2025 10:36:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	23.08
NS3	14-Jan-2025 09:21:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	31.6
P1	22-Jan-2025 15:51:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	SWL only.	57.85
P2	1-Jan-2025 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P3	1-Jan-2025 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
P4	1-Jan-2025 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian GC seam	Not Scheduled.	
PB2	29-Jan-2025 10:33:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Pump in Bore. Not pumping. SWL only. No sample collected.	28.89
R1	21-Jan-2025 15:01:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	43.18
R10	21-Jan-2025 12:04:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	18.41
R11	21-Jan-2025 11:04:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	54.88
R12	22-Jan-2025 14:33:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	25.6
R13	22-Jan-2025 14:41:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	40.21

Site	Date	Other Tags	Comment_Field_Part 1	Standing Water Level (SWL) mTOC
R14	30-Jan-2025 11:57:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	24.19
R15A	23-Jan-2025 11:04:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	12.07
R16	22-Jan-2025 14:01:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	20.95
R17	30-Jan-2025 13:57:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	56.28
R18A	23-Jan-2025 11:13:00	GROUNDWATER - BASALT, Bore - Basalt East	SWL only.	16.4
R2	21-Jan-2025 12:59:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	38.96
R3	23-Jan-2025 08:08:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	31.01
R4	21-Jan-2025 11:35:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	33.8
R5	9-Jan-2025 12:12:00	GROUNDWATER - BASALT, Bore - Basalt East	Not Scheduled.	13.65
R6	9-Jan-2025 11:54:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only.	27.89
R7A	21-Jan-2025 14:30:00	GROUNDWATER - BASALT, Bore - Tertiary Basalt	SWL only.	37.53
R7B	21-Jan-2025 14:25:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only.	59.67
R8	30-Jan-2025 13:00:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	SWL only. 251_QAQCD03 Taken- No.	43.28
R9	1-Jan-2025 00:02:00	GROUNDWATER - PERMIAN, Bore - Permian sandstone	Not Scheduled.	
SA1	30-Jan-2025 10:04:00	GROUNDWATER - CODISPOSAL	Insufficient Water to pump or bail. No sample collected.	8.27
SA2	30-Jan-2025 11:14:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. Organic particles. Bailed 6l then collected sample.	2.81
SA6	30-Jan-2025 10:45:00	GROUNDWATER - CODISPOSAL	Bailer. Not turbid. Clear colour. Nil odour. No particles. Bailed 3L then sampled.	1.94
SA7	30-Jan-2025 11:09:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Dry. Tape stopped at approx 1.8m. No sample collected.	
SDB01A	30-Jan-2025 13:43:00	GROUNDWATER - BASALT, Bore - Basalt West	SWL only.	30.87
SDB03B	30-Jan-2025 12:20:00	GROUNDWATER - BASAL SAND, Bore - Basal Sand West	SWL only. 251_QAQCD05 Taken- No.	25.33
SDB05A	28-Jan-2025 08:19:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	26.78
SDB05B	28-Jan-2025 09:29:00	GROUNDWATER - CODISPOSAL	Dry. Tape stopped at approx 41.10m.	
SDB06A	29-Jan-2025 08:37:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Bailer. Not turbid. Clear colour. Nil odour. Fine particles. White particles. Bailed 12L and collected sampled.	28.85
SDB06B	29-Jan-2025 07:23:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. Fine particles. White particles.	36.03
SDB07A	14-Jan-2025 11:48:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	18.29
SDB07B	14-Jan-2025 12:37:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Slight hydrocarbons odour. No particles. Double checked odour.	18.14
SDB08A	30-Jan-2025 07:57:00	GROUNDWATER - CODISPOSAL, Bore - Basalt East	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	25.76
SDB08B	14-Jan-2025 14:00:00	GROUNDWATER - CODISPOSAL	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles. Water quality results, checked and confirmed.	28.36
T1	29-Jan-2025 09:28:00	GROUNDWATER - CODISPOSAL, Bore - Tertiary Basalt	Low Flow Pump. Not turbid. Clear colour. Nil odour. No particles.	24.68